



# Product Catalogue

Thermostats | Switches | Sockets | Actuators | Sensors | Dimmers



Hotel GRMS  
Solutions



Smart Home  
Solutions



Industrial &  
Commercial  
Building Solutions





# INDEX

Mona Series .....	04
Rosa Series .....	06
Oria Series .....	08
Miola Touch Panel .....	10
Sensors & Panel Devices .....	12

mona  
MONOBLOCK HOTEL SERIES



The Mona Series consists of a user-friendly, elegant frameless glass design and intuitive operation, with capacitive buttons through minimalist icons. With its touch operated design and minimalist icons, it is suitable to be a part of your living space with its various color options.



Touch Operated



Glass Surface



Switch, Thermostat and Socket Together



Frameless, minimalist design



Icon Options



Away, comfort, night and protection modes



Independent programmable buttons



Various color option



RGB LED option



Up to more than 5 combined monoblock modules




Hundreds of different combinations

Hundreds of RAL surface colors...



Dimensions (mm)

	a	b	h
Single	90	12	100
Binary	161	12	100
Triple	232	12	100
Quadruple	303	12	100
Quintet	374	12	100



Card Holder  
Up to 6 buttons

- Compatible with Mifare 13.56 MHz card
- Contactless reading for RFID Card information
- Avoids mechanical wear and card deformation
- Detection distance up to 50 mm



Thermostat  
Up to 6 buttons

- Temperature adjustment on display
- Integrated temperature sensor (°C/°F)
- Fan speed adjustment (1, 2, 3, Auto)
- Fully automatic function mode (Heat - Cool transition)
- Control flexibility for all HVAC units including VRF-VRV and AC
- PI proportional, PI PWM, Hysteresis, Fan coil, Split unit controls



Switch  
Up to 12 buttons

Mona switches continue to add value to your space with frameless design. Mona offers a unique user experience and intuitive operation with its touch design and minimalist icons. There are hundreds of combination options with thermostats, switches and sockets..

## ▶ DND MUR

The Mona series DND MUR display, where you can easily see whether your guests are in the room, consists of a glass touch screen and includes room number, hotel logo, Laundry, DND, MUR indicators and doorbell button.

IP65 IP65 Option



## ▶ Welcome Panel

When entering or leaving your room, desired scenarios can be realized with a single touch, and you can experience safety and comfort together thanks to the RF-ID card holder you use at the entrances. You can combine switches and thermostats with your energy saver. Guests will control many things through one single monoblock panel.




## ▶ Bedside Panel

Mona Serie offers %100 customizable, unique panels. You can create your own bedside panel through the configurator.

Hundreds of different combinations

Up to more than 5 combined monoblock modules



## ▶ Socket

The Mona serie offers glass surface, minimalist design, wide collection up to 5 gang, wide range of colors. BS standard, European standard and Modular standard sockets are compatible with Mona series.


Modular European Sockets




British Sockets



Modular British Sockets



Modular Italian Sockets



European Sockets





# rosa

# rosa metal



Rosa thermostats are designed for the needs of modern buildings. Rosa's intuitive design allows all ages to control their living space easily. New generation frameless design fits architects' expectation and getting their compliments.



Touch Operated



Glass Surface



Switch, Thermostat and Socket Together



Frameless, minimalist design



Icon Options



Away, comfort, night and protection modes



Additional heating-cooling control



Various color option



Fully automatic heating-cooling transition



Optional in-built temperature sensor for switches



Feedback and Navigation LEDs




Independent, programmable buttons

Rosa Metal Series  
Thermostat Color Options



Rosa Metal Series  
Switch Color Options



Thermostat  
Up to 2 fold

Thermostat and switching control from one point with Rosa Thermostat



Switch  
Up to 3 fold

Lighting, shutter/blind, scene call, speaker and DND/MUR control with customizable Rosa keypads.



Socket  
Up to 5 gang

Various color options in UK, EU and universal standards.



The Rosa Crystal switch and thermostat series, which has the same features as the metal ones in technical terms, can also be adapted to different concept designs with glass surface option. Rosa Crystal can be colored according to the selected RAL code, adapts to the demands of the interior designers and fast changing trend.



Hundreds of RAL surface colors...



## Socket


The Mona serie offers glass surface, minimalist design, wide collection up to 5 gang, wide range of colors. BS standard, European standard and Modular standard sockets are compatible with Mona series.

**Single Socket - Black Glass** **Quadruple Socket+Socket+TV/SAT - White Glass**



### European Socket

Dimensions	a	h
Single	85	85
Double	156	85
Triple	227	85
Quadruple	298	85
Quintet	369	85



**2M USB + Data - Bronze** **3M Shaver Socket- Natural**




**4M Universal Socket + SAT/TV - Gold**



### Modular Socket

Dimensions	a	h
1M	85	85
2M	85	85
3M	124	85
4M	144	85
6M	190	85



**1 Gang Socket-Natural**



**2 Gang Socket - Anthracite**




**2 Gang Socket+USB - Gold**



### British Socket

Dimensions	a	h
1 Gang	92	85
2 Gang	152	85






Expandable up to 4 folds, Oria thermostat provide a wide collection of possibilities for all spaces where both thermostats and programmable switches are needed at the same time.


- Lifetime guarantee for surface quality
- Icon Options
- Fully automatic heating-cooling transition
- Switch and Thermostat Socket Together
- Away, comfort, night and protection modes
- Feedback LEDs
- Various color option
- Additional heating-cooling control
- Independent, programmable buttons

I		O	Light On / Off
^		v	Light Enhance / Dim
^		v	Volume Increase / Decrease
			Scene
^		v	Shutter-Blind
^		v	Shutter-Blind Wing
			Away - Stay

#### Assembly Detail




**Important note!**  
The optimum distance between the two thermostats should be at least **120 mm** from center to center.



#### Thermostat Up to 4 fold

Oria thermostats can perform all needed operations with a single touch. Programmable buttons on Oria thermostats can control comfort and energy saving needs such as lighting, shutter/blind, scene call, speakers and panic button for you.



#### Switch Up to 6 fold

The new generation of Oria switches adds a simple and elegant touch to the world of users while fulfilling unlimited needs with its design. With rich collection options expandable to 12 buttons in a single frame, enjoy one-point management of on-site lighting, heating-cooling, shutter-blind, speakers, scene call and panic buttons controls.



#### Socket Up to 5 gang












As the supplementary item for the new generation of thermostat and switch series, Oria power outlets reflect the integrity of your space.



## Technical Specifications

Protection type	IP 20	EN 60529
Safety class	II	EN 61140
Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line
	Supply voltage	20 mA
	Power consumption	20 mA x 30V
Button operation life	100.000	
Temperature	Operating	-5° C + 45° C
	Storage	-25° C + 55° C
	Transport	-25° C + 70° C
CE	In accordance with EMC guideline and low voltage regulation	

## Dimensions

Single	1 Fold	2 Fold	3 Fold	4 Fold	5 Fold	6 Fold
						
2 Fold	3 Fold	4 Fold				
						
			Dimensions (mm)	a	b	h
			2 Fold Thermostat	90	9	90
			3 Fold Thermostat	90	9	111,5
			4 Fold Thermostat	90	9	133
			Dimensions (mm)	a	b	h
			Single Switch	90	9	90
			1 Fold Switch	90	9	90
			2 Fold Switch	90	9	90
			3 Fold Switch	90	9	90
			4 Fold Switch	90	9	90
			5 Fold Switch	90	9	111,5
			6 Fold Switch	90	9	133

## Socket

Single Frame - Antique



Double Frame - Pearl White



Quadruple Frame - Pearl White



Quintet Frame - Mustang Gray



Tripple Frame - Anthracite



1M Frame - Pearl White



2M Frame - Pearl White



4M Frame - Anthracite



6M Frame - Antique



# **MiOLA** TOUCH PANEL




## With Miola Panel, you can easily control your home!

You will be able to receive all the notifications you specify and want to receive from the mobile application, and you will be able to easily learn all the details you follow with the push-notification feature.

Thanks to the Cloud server, you will not need an extra server!

 **android8.0**




 Natural

 Anthracite

## Technical Specifications

SCREEN SIZE	7" MIOLA KNX-TP	10.1" MIOLA KNX-TP
CPU	PX30 Chipset	PX30 Chipset
Memory	1GB	1GB
Hard Disk	8GB EMMC	8GB EMMC
Operating System	Android 8.0	Android 8.0
Power	12-30 VDC	12-30 VDC
Resolution	600x1024px	1280x800px
Touch Panel	Project Capacitive Touch	Project Capacitive Touch
Microphone	1 with Echo Cancellation	1 with Echo Cancellation
Speaker	1x8 Ohm - 2 Watts	1x8 Ohm - 2 Watts
Input	5 Digital Inputs	5 Digital Inputs
KNX Bus Connection	KNX - TP	KNX - TP
LAN	2	2
Dual Network Connectivity	Yes	Yes
Drivers	EAEOS Operating System Drivers	EAEOS Operating System Drivers
Max Accessory Limit	254	254
Max Room Limit	254	254
Intercom Standart	SIP 2.0	SIP 2.0
Onwall Dimensions	140 x 235 x 4 mm	264 x 208 x 4 mm

## System Topology




# Sensors & Panel Devices



## ▶ PD100/MD100 *Movement/Presence Sensor*

Surface mounting and flush mounting option  
2-point fixed-light control  
Independent HVAC duct  
Master / Slave Fully / Semi-automatic operation modes  
Motion detection at 2.5 m mounting height, 9 m diameter


Constant  
Light Control



## ▶ CD100 *Corridor Sensor*

Different levels of brightness can be arranged for the states of; "Movement", "After Movement", and "No Movement". It can operate in parallel connection with other sensors either on standalone or master-slave basis depending on application requirements

CD100 20x6m  
CD High Bay 22x12m  
Coverage Area



## ▶ HD100 *High Bay Sensor*

Constant light control  
Fully / Semi automatic lighting control  
Independent HVAC duct  
Lighting can be set to different brightness levels

25m x 14m  
Coverage Area



## ▶ PSU320 / PSU640 *Power Supply*

EAE KNX Power Supply is available in 320 mA and 640 mA versions  
Input voltage range 150-275V AC, 50 60Hz  
Output 1: KNX bus power with an integrated choke. (30VDC, SELV)  
Output 2: Additional voltage output. (30VDC, SELV)  
Short-circuit and overload protected outputs  
LED indicators for Power, Overload and Reset status

Additional  
30V DC Output



## ▶ IPR200/IPI200 *IP Router/IP Interface*

IP ROUTER EAE KNX IP Router can be used as a line or backbone coupler and provides a data connection between the upper KNXnet/IP and the lower TP KNX bus line. However, it also provides an electrical isolation between connected lines.

IP INTERFACE EAE KNX IP Interface is a tunneling device. It creates a connection point for ETS to enable commissioning and monitoring via tunneling protocol. IP address of device can be given by DHCP server or by manual configuration.

4 Simultaneous  
KNXnet / IP  
Connections





## ▶ LC200 *Line Coupler*

Built-in filter tables for group-oriented communication  
Support of long messages up to 240 bytes APDU length  
Galvanic isolation between KNX lines  
Flexibility to be used as line coupler, area coupler or as a backbone coupler  
Does not require an additional power supply

Temporary disabling  
of routing filter  
via button



## ▶ RCU *Room Control Unit*

(RCU2018, RCU2000, RCU1616, RCU1600, RCU0808, RCU0800)

Special design for different room layouts  
On/Off, HVAC, Shutter/Blind control.  
20x16A relay output  
Switching resistive and inductive loads  
18 independent input channels  
7 functions for each channel (staircase, external/internal logic, priority, threshold, sweeping functions and transaction time)

20x16A Outputs  
+  
18 Inputs



## ▶ SW104 / SW108 *Switch Actuator*

4/8 independent channels  
Manual control via device on each channel  
7 functions (staircase, external/internal logic, priority, threshold, sweeping functions and transaction time) can be defined for each channel separately  
Does not require external power supply

500A Inrush  
Current Switching



## ▶ FCA100 *Fancoil Actuator*

Special design for many fancoil and valve types  
It has proportional outputs ( valve / fan speed)  
16A auxiliary output for additional heating / cooling

One actuator for  
all types of fan  
coil units and valves



## ▶ DA100 *DALI Gateway*

64 Lighting Stage  
16 Group Control  
DA100 can use up to 8 DALI sensors  
Error status of DALI devices, device-based and group-based, with different KNX communication objects  
Intersecting DALI groups

Emergency  
Lighting  
Monitoring





# Sensors & Panel Devices



## ▶ KMG103 *KNX Modbus Gateway*

Built in 320mA / 640mA power supply  
Device can be used to control and monitor KNX installations via SCADA visualization software.  
IP address of device can be given by DHCP server or by manual configuration.  
Device includes logic controller that enables room energy saver system without using card holder.  
Saving the configurations of guests and calling configured scenarios.  
Device has 3 dry contact inputs for ; Doors, Windows and Presence

Occupancy based  
energy saver  
without card holder



## ▶ UD106 *Universal Dimmer*

6 independent channels Manual operation feature  
Up to 1800W with 6 parallel channels.  
Configurable behaviour after voltage return, voltage failure or ETS download.

6 Parallel Channels



## ▶ SD110 *1-10V/0-10V Dimming Actuator*

10 independent channels.  
FollowinWWWWConfigurable behaviour after voltage return, voltage failure or ETS download

10 x 16A  
1-10V  
0-10V



## ▶ MIO1616 *Multi Input/Output*

LEDs and buttons on the KNX panel can be used with a single device  
Design does not require external supply source

16 Inputs  
16 Outputs



## ▶ UI108 *Universal Interface*

8 functional input channels  
Easy connection with color connection cables  
6 different functions (switching, dimming, curtain control, value/priority info, scene control, pulse counter)

6 Different  
Operating Modes





## ACGME10

### *Mitsubishi AC Gateway*

Mitsubishi Climate Controller allows your Mitsubishi AC indoor units to integrate with other KNX devices. Thanks to its energy saver function, it allows you to reduce energy consumption. Device has following functions below;

Operating Hours & Alarm

Remote Lock Functionality

Bus Return AC behaviors

Scene Function

Energy Saver functions (Window/Door Sensor and Auto-OFF Timer)



Temporary disabling  
of routing filter  
via button



# SOME OF OUR REFERENCES

## SOME OF OUR REFERENCES



### FOLKART VEGA

FOLKART VEGA  
Izmir



MESA DEMIRBUKU  
Bodrum



FOLKART BOYALIK  
Izmir



BODRUM NEF GOLKOY  
Bodrum



ALTOWER  
Istanbul



MESA CUBUKLU 28  
Istanbul



VADIKORU RESIDENCE  
Istanbul



ROUTE ISTANBUL  
Istanbul



CENTRAL BALAT RESI-  
DENCE  
Bursa



BONNEVILLE MIHRAPLI  
Bursa



BRODSKY APARTMENT  
Russia



GAYDA ATASEHIR  
Izmir



BALANCE GUNESLI  
Istanbul



DIA BELLA  
Istanbul



MOTTO TERRACE GARDEN  
Konya



MANDARIN VILLAS  
Canakkale



IS CADDE GYO  
Istanbul



## SOME OF OUR REFERENCES



CLOUD NINE  
Russia



MESA ORMAN II  
Istanbul



MESA CENGELKOY  
Istanbul



COUNTRY SUIT  
Gaziantep



SPC BUILD  
Sapanca



PARK PANORAMA  
Izmir



COS ALACATI  
Izmir



ALI KEMAL GÜRDAL  
Antalya



PUKKA BODRUM  
Mugla



PUKKA MARE/NETA  
Mugla



NAMET BEYLERBEYI  
Istanbul



TREEHOME RESIDENCE  
Sanliurfa



KECIOREN APARTMENTS  
Ankara



PERA MOGAN  
Ankara



MERYAKA RESIDENCE  
Konya



FLORYA MAX ROYAL  
Adana



## SOME OF OUR REFERENCES



**Marriott**  
HOTELS · RESORTS · SUITES  
**Le MERIDIEN MARRIOTT  
HOTEL**  
*Tbilisi*



**Marriott**  
AUTOGRAPH COLLECTION  
HOTELS  
**AUTOGRAPH COLLECTION  
MARRIOTT**  
*Istanbul*



**Marriott**  
HOTELS · RESORTS · SUITES  
**MARRIOTT SIRKECI HOTEL**  
*Istanbul*



**NG PHASELIS/BAY  
HOTEL**  
**NG PHASELIS BAY HOTEL**  
*Antalya*



**MILLENNIUM**  
**MILLENNIUM WEST HOTEL**  
*Istanbul*



**OBA**  
**THE OBA HOTEL**  
*Bodrum*



**Radisson**  
**RADISSON HOTEL**  
*Izmir*



**Radisson**  
**RADISSON BLUE HOTEL**  
*India*



**MABIN HURA MALDIVES**  
*Maldives*



**GURDAL HOTEL**  
*Istanbul*



**Grand Hotel**  
**GRAND HOTEL**  
*Niger*



**TFF**  
Türkiye Futbol Federasyonu  
Turkish Football Federation  
**TFF RIVA HOTEL**  
*Istanbul*



**NAU**  
HOTELS & RESORTS  
**NAU HOTEL**  
*Portugal*



**GRAND GALATA HOTEL**  
**GRAND GALATA HOTEL**  
*Istanbul*



**KARAVANSARAY COMPLEX**  
*Kazakhstan*



**Star City**  
**STAR CITY HOTEL**  
*Greece*

## SOME OF OUR REFERENCES



RIXOS PREMIUM BODRUM  
*Mugla*



RIXOS PREMIUM DUBAI  
*UAE*



HILTON SIRKECI HOTEL  
*Istanbul*



VASQ HOTEL  
*Mauritania*



CIELO HOTEL  
*Qatar*



BENIN SOFITEL HOTEL  
*Benin*



MÖVENPICK HOTEL  
*UAE*



ST REGIS HOTEL  
*Oman*



ROTANA HOTEL  
*UAE*



EMILY RESORT  
*Lviv*



OYAK DRAGOS  
*Istanbul*



CONDOR HOTEL  
*Romania*



SHERATON HOTEL  
*Senegal*



PEARL MARRAKECH HOTEL  
*Marrakech*



PESTANA HOTEL  
*Casablanca*



BRICK POINT HOTEL  
*Nigeria*



INEMARE  
*Kirklareli*




## SOME OF OUR REFERENCES



**ISTANBUL FINANCIAL  
CENTER BDDK BUILDING**  
*Istanbul*



**ISTANBUL FINANCIAL  
CENTER HALK BANK GYO**  
*Istanbul*



**ISTANBUL FINANCIAL  
CENTER 1-13 RECREATION**  
*Istanbul*



**ISTANBUL FINANCIAL CENTER  
SPECIAL PROJECT AREA**  
*Istanbul*



**ISTANBUL FINANCIAL  
CENTER SIGORTA A.S.**  
*Istanbul*



**BORSA ISTANBUL**  
*Istanbul*



**7th MAIN JET BASE COMMAND**  
*Malatya*



**THY SIMULATION BUILDING**  
*Istanbul*



**ORD. PROF. DR. SULHI DON-  
MEZER EDUCATION CENTER**  
*Istanbul*



**PTT INTERNATIONAL CARGO  
PROCESSING CENTER**  
*Istanbul*



**TECHNOPARK**  
*Istanbul*



**SOCIAL SECURITY  
CORPORATE BUILDING**  
*Kayseri*



**SOCIAL SECURITY  
CORPORATE BUILDING**  
*Elazig*



**DICLE ELECTRIC A.S.**  
*Diyarbakir*



**DISASTER and EMERGENCY  
MANAGEMENT CENTER**  
*Erzincan*



**DISASTER and EMERGENCY  
MANAGEMENT CENTER**  
*Kahramanmaraş*

## SOME OF OUR REFERENCES



ATATÜRK KÜLTÜR MERKEZİ  
BAŞKANLIĞI  
ATATÜRK CULTURAL  
CENTER  
Istanbul



HAVELSAN CENTRAL  
BUILDING  
Ankara




ETI MADEN ENTERPRISES  
Ankara



TURKCELL DATA CENTER  
Ankara - Corlu - Gebze



KALYON HOLDING  
GENERAL CENTER  
Istanbul



YDA BUSINESS CENTER  
Ankara



LIBRARY OF NATIONAL  
DEFENCE UNIVERSITY  
Istanbul



WAR VETERANS  
REHABILITATION CENTER  
Ankara



DSI ADMINISTRATIVE  
BUILDING  
Izmir



BEYKOZ NUN SCHOOLS  
Istanbul



MEDENİYET UNIVERSITY  
LIBRARY & B BLOCK  
Istanbul



MARMARA UNIVERSITY  
Istanbul



OZYEGIN UNIVERSITY  
Istanbul



NESIBE AYDIN  
EDUCATIONAL INSTITUTIONS  
Ankara



ALTINBAS UNIVERSITY  
Istanbul



GONDAR UNIVERSITY  
Ethiopia



## SOME OF OUR REFERENCES



**PRESIDENCY  
SYMPHONY ORCHESTRA**  
Ankara



**PRESIDENCY  
AHLAT COMPLEX**  
Bitlis



**COMMUNICATION  
PRESIDENCY OF TURKEY**  
Ankara



**EMLAK PARTICIPATION  
BANK BUILDING & İLBANK  
REGIONAL DIRECTORATE**  
İstanbul



**BURSA REGIONAL COURT  
OF JUSTICE**  
Bursa



**SUPREME ELECTION  
BOARD BUILDING**  
Ankara



**ALANYA COURTHOUSE**  
Antalya



**ANTALYA CENTRAL BANK**  
Antalya



**ERDEMLİ COURTHOUSE**  
Mersin



**ADIYAMAN GOVERNMENT  
HOUSE**  
Adıyaman



**SIVAS GOVERNORSHIP  
HOUSE**  
Sivas



**MINISTRY OF YOUTH AND  
SPORT BUILDING**  
İstanbul



**ÇANAKKALE MUNICIPAL  
BUILDING**  
Çanakkale



**DULKADIROĞLU  
MUNICIPALITY BUILDING**  
Kahramanmaraş



**GÜNGÖREN MUNICIPALITY  
BUILDING**  
İstanbul



**BAGCILAR MUNICIPALITY  
BUILDING**  
İstanbul



## SOME OF OUR REFERENCES



ISTANBUL AIRPORT  
TURKISH AIRLINES BUILDINGS  
*Istanbul*



RIZE-ARTVIN AIRPORT  
*Rize-Artvin*



PARLIAMENT BUILDING  
*Uzbekistan*



CBI BANK  
*UAE*



30th YEAR MONUMENT  
*Uzbekistan*



KOCTAS STORES IN TURKEY  
*Turkey*



LC WAIKIKI STORES IN  
TURKEY  
*Turkey*



BORSA ISTANBUL DATA  
CENTER  
*Istanbul*



ANDAC AUTOMOTIVE  
*Izmir*



ASELSAN GOLBASI & AKYURT  
NURSERY BUILDINGS  
*Ankara*



TECHNOPARK 3rd STAGE  
B BLOCK  
*Istanbul*



TECHNOPARK A BLOCK  
*Istanbul*



IZMIR GAS BUILDING  
*Izmir*




TOKAT AIRPORT  
*Tokat*



SENEGAL TURKISH EMBASSY  
BUILDING  
*Africa*



HADIMKOY PEOPLE BREAD  
*Istanbul*



NOKIA OFFICE  
*Istanbul*

## SOME OF OUR REFERENCES



**SENEGAL STADYUMU**  
*Senegal*



**ERYAMAN STADIUM**  
*Ankara*



**CEMAL KAMACI SPORT  
COMPLEX**  
*Istanbul*



**TOP INTERIEUR FURNITURE**  
*Belgium*



**PHILIP MORRIS FACTORY**  
*Kazakhstan*



**KALYON SOLAR  
TECHNOLOGIES FACTORY**  
*Ankara*



**TTT AUTOMOTIVE**  
*Konya*



**TEKFEN HOLDING  
ARCHIVE BUILDING**  
*Adana*



**NUR SULTAN MOSQUE**  
*Kazakhstan*



**NAZARBAYEV CENTRE**  
*Kazakhstan*



**TURK TRACTOR**  
*Sakarya - Ankara*



**UNIPRES**  
*UK*



**KUTAHYA CERAMIC**  
*Kutahya*



**BSH**  
*Cerkezkoy*



**BAKÜ TOWER 109**  
*Azerbaijan*



**KORDSA FACTORY**  
*Kocaeli*



## SOME OF OUR REFERENCES



RONESANS HILLTOWN AVM  
Izmir



TEM POINT MALL  
Istanbul



VEGA MALL SUBAYEVLERI  
Ankara



NEV CARŞI USKUDAR  
Istanbul



TEI MOTORS  
Eskisehir



MILAHA LOGISTIC  
Qatar



GENERAL DIRECTORATE  
OF HIGHWAYS BUILDING  
Ankara



EKOL LOGISTIC  
Kocaeli



ANKARA IS GYO TOWER  
Ankara



REP KON FACTORY  
Istanbul



ÇAYKUR RIZE FACTORY  
Rize



MERCEDES BENZ FACTORY  
Aksaray



TURK TELEKOM BUILDING  
Istanbul-Umraniye



ZIRAAT BANK DATA  
CENTER  
Istanbul



SISECAM FACTORY  
Eskisehir-Ankara



HAS ÇELİK FACTORY  
Kayseri

## SOME OF OUR REFERENCES



T.C. Sağlık Bakanlığı

**DR. LUTFI KIRDAR KARTAL TRAINING  
AND RESEARCH HOSPITAL**  
*Istanbul*



T.C. Sağlık Bakanlığı

**TEKIRDAG CITY HOSPITAL**  
*Tekirdag*



T.C. Sağlık Bakanlığı

**KOCAELI CITY HOSPITAL**  
*Kocaeli*



T.C. Sağlık Bakanlığı

**IZMIR CITY HOSPITAL**  
*Izmir*



T.C. Sağlık Bakanlığı

**ERZURUM CITY HOSPITAL**  
*Erzurum*



T.C. Sağlık Bakanlığı

**GIRESUN CITY HOSPITAL**  
*Giresun*




T.C. Sağlık Bakanlığı

**SIVAS SAMPLE HOSPITAL**  
*Sivas*



T.C. Sağlık Bakanlığı

**MAMAK HOSPITAL**  
*Ankara*



T.C. Sağlık Bakanlığı

**KONYA SAMPLE HOSPITAL**  
*Konya*



T.C. Sağlık Bakanlığı

**TARSUS PUBLIC HOSPITAL**  
*Mersin*



T.C. Sağlık Bakanlığı

**HATAY DORTYOL  
HOSPITAL**  
*Hatay*



T.C. Sağlık Bakanlığı

**SAKARYA WOMEN AND  
MATERNITY HOSPITAL**  
*Sakarya*



T.C. Sağlık Bakanlığı

**AGRI PUBLIC HOSPITAL**  
*Agri*



T.C. Sağlık Bakanlığı

**TAKSIM FIRST AID  
HOSPITAL**  
*Istanbul*



**MEDICANA**

**MEDICANA HOSPITAL**  
*Izmir*




T.C. Sağlık Bakanlığı

**ALGERIA HOSPITAL  
PARKING LOT COMPLEX**  
*Algeria*



## SOME OF OUR REFERENCES



ACIBADEM

ACIBADEM ATASEHIR HOSPITAL AND  
HEADQUARTERS BUILDING  
*Istanbul*



ACIBADEM

ACIBADEM ADANA HOSPITAL  
*Adana*



ABDI IBRAHIM

ABDI IBRAHIM  
MEDICINE FACTORY  
*Istanbul*



EAE

EAE ELECTRIC BUSBAR  
FACTORY  
*Kocaeli*



EAE

EAE ELECTRIC CABLE  
DUCT FACTORY  
*Kocaeli*



EAE

EAE LIGHTING FACTORY  
*Kocaeli*



Ford

FORD V710 - SPECIAL  
VEHICLE AREA  
*Istanbul*



TOFAŞ

TOFAŞ BODY LINE FACTORY  
*Istanbul*



T.C. Sağlık Bakanlığı

NIZIP PUBLIC HOSPITAL  
*Gaziantep*



T.C. Sağlık Bakanlığı

BILECIK BOZOYUK PUBLIC  
HOSPITAL  
*Bilecik*



T.C. Sağlık Bakanlığı

MALATYA BATTALGAZI  
PUBLIC HOSPITAL  
*Malatya*



YILDIZ PUL FACTORY  
*Konya*



OYAK DENİZCİLİK VE LİMAN  
İŞLETMELERİ A.Ş.

OYAK PORT PORT  
*Kocaeli*



ALSANCAK STADIUM  
*Izmir*



METRO  
İSTANBUL

DUDULLU BOSTANCI  
SUBWAY LINE  
*Istanbul*



AYDINLI

AYDINLI GROUP  
*Istanbul*





*The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.*

*EAE Technology assumes no responsibility for any errors that may appear in this document.*

2021 © EAE Technology  
All rights reserved









**EAE Teknoloji A.Ş.**  
İkitelli Organize Sanayi Bölgesi  
Eski Turgut Ozal Caddesi No:20  
Başakşehir / İstanbul - TURKEY  
Tel. : +90 212 413 21 00 (pbx)  
Fax : +90 212 549 37 90  
[www.eaetechnology.com](http://www.eaetechnology.com)



EAE Technology, is provided with the right to perform changes deemed necessary without notifying in advance.  
KNX Smart Home, Residential & Hotel Solutions English – Issue Date : 07.07.2021