



TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 1 of 18

EAE TEKNOLOJİ ARAŞTIRMA VE GELİŞTİRME SAN. VE TİC. A.Ş.

İkitelli OSB Ziya Gökalp Mah. Eski Turgut Özal Cad. No:20 Başakşehir / İSTANBUL TEL: 0531 777 52 76

To the attention of Burcu Özsoy

The following sample(s) was /were submitted and identified by/on behalf of the clients as:

2011/65/EU.

ö		
, , , , ,	•	EAE TEKNOLOJİ ARAŞTIRMA VE GELİŞTİRME SAN. VE TİC. A.Ş.
Sample Description	:	See the following page.
Model No.	:	MN-B-CH06,05,04,03,02,01, MN-X-CH06,05,04,03,02,01
Sample Receiving Date	:	1 December 2020
Resubmit Date	:	25 December 2020
Testing Period	:	1 December 2020 ~ 15 December 2020
Test Requested	:	Selected test(s) as requested by client.
Test Method	:	Please refer to next page(s)
Test Result(s)	:	Please refer to next page(s)
Conclusion	:	Based on the performed tests on selected part of submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the limits as set by Directive (EU) 2015/863 amending Annex II to Directive
	Sample Submitted By Sample Description Model No. Sample Receiving Date Resubmit Date Testing Period Test Requested Test Method Test Result(s)	Sample Submitted By Sample Description Model No. Sample Receiving Date Resubmit Date Testing Period Test Requested Test Method Test Result(s)

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table. Unless otherwise requested SGS applies shared risk decision rule

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days"

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş. t +90 212 368 40 00 f +90 212 296 47 82-83 e sgs.turkey@sgs.com w www.sgs.com.tr



TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 2 of 18

The test results relate to the tested items only. Test reports without SGS seal and authorized signatures are invalid.

Reported results do not include uncertainties.

IN THIS REVISED-1 REPORT, MODEL NO WERE CHANGED BY THE REQUEST OF THE APPLICANT.

THIS REPORT SUPERSEDES OUR REPORT NO: TR1837936 DATED 15.12.2020

Issued in Istanbul Signed for and on behalf of SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

Mert Kurtuluş Customer Services Supervisor	Bora Şirinbilek Hardline & CPCH Testing Services Manager
\mathcal{A}	THE ETUD KOMPANY
Al	Re utalat

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at ww.sgs.com/terms-and-conditions/terms-e <u>iment</u>

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days"

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

Bağlar Mah. Osmanpaşa Cad. No:95 İş İstanbul Plaza A Girişi Güneşli 34209 İstanbul Türkiye t +90 212 368 40 00 f +90 212 296 47 82-83 e sgs.turkey@sgs.com w www.sgs.com.tr

Doc No.:CTSL-F-5.10-26NF / First Publish Date:11.03.2013 / Revision Date / No.: 11.03.2020 / 7

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table. Unless otherwise requested SGS applies shared risk decision rule



AB-0690-T TR1837939-RV1 12-20

TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 3 of 18

est Part Des	scription:	CONCLUSION
1	Card Reader Device MN-B-CH06 / MN-X-CH06	
1.1	Transparent white Glass Front panel	PASS
1.2	Transparent black Glass Front panel	PASS
1.3	White Plastic Front panel	PASS
1.4	Black Plastic Front panel	PASS
1.5	Black Metal Middle panel	PASS
1.6	Black Plastic Motherboard panel	PASS
1.7	Black Plastic Socket panel	PASS
1.8	Black Metal Panel screws	PASS
1.9	Black Metal Socket panel screws	PASS
1.10	Grey Plastic Socket	PASS
1.11	Red Plastic Socket	PASS
1.12	Silver Metal Socket feet	PASS
1.13	Silver Metal Capasitor c5	PASS
1.14	Black Ceramic Coil I1	PASS
1.15	Silver Metal Capasitor c5	PASS
1.16	White Plastic Touch front main	PASS
1.17	Transparent Plastic Touch main	PASS
1.18	Silver Metal T2 tip	PASS
1.19	Black Ceramic Resistance	PASS
1.20	Black Ceramic Resstance	PASS
1.21	Brown Ceramic Smd resistance	PASS
1.22	Black Plastic Board	PASS
1.23	Silver Metal Additional screws	PASS
1.24	Silver Metal Additional screws	PASS

Doc No.:CTSL-F-5.10-26NF / First Publish Date:11.03.2013 / Revision Date / No.: 11.03.2020 / 7

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms-and-conditions/terms-e-document</u>.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table. Unless otherwise requested SGS applies shared risk decision rule

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days"

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.



TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 4 of 18

Test Item(s):	<u>RESULTS</u>		
	<u>1.1</u>	<u>1.2</u>	<u>1.3</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	NA	NA	NA
Flame Retardants			
Sum of PBBs	NA	NA	ND
Monobromobiphenyl	NA	NA	ND
Dibromobiphenyl	NA	NA	ND
Tribromobiphenyl	NA	NA	ND
Tetrabromobiphenyl	NA	NA	ND
Pentabromobiphenyl	NA	NA	ND
Hexabromobiphenyl	NA	NA	ND
Heptabromobiphenyl	NA	NA	ND
Octabromobiphenyl	NA	NA	ND
Nonabromobiphenyl	NA	NA	ND
Decabromobiphenyl	NA	NA	ND
Sum of PBDEs	NA	NA	ND
Monobromodiphenyl ether	NA	NA	ND
Dibromodiphenyl ether	NA	NA	ND
Tribromodiphenyl ether	NA	NA	ND
Tetrabromodiphenyl ether	NA	NA	ND
Pentabromodiphenyl ether	NA	NA	ND
Hexabromodiphenyl ether	NA	NA	ND
Heptabromodiphenyl ether	NA	NA	ND
Octabromodiphenyl ether	NA	NA	ND
Nonabromodiphenyl ether	NA	NA	ND
Decabromodiphenyl ether	NA	NA	ND
Phthalates			
Dibutyl phthalate (DBP)	NA	NA	ND
Butyl benzyl phthalate (BBP)	NA	NA	ND
Bis (2-ethylhexyl) phthalate (DEHP)	NA	NA	ND
Diisobutyl Phthalates (DIBP)	NA	NA	ND

Remarks :	ppm = Parts per million based on dry weight of sample (1 mg/kg = 0.0001%)				
	μg/cm² = Microgram per square centimeter				
	mg/kg with 50 cm ² = Milligram per kilogram with 50 square centimetre				
	ND = Not detected (<mdl) applicable="" na="Not" nr="Not" requested<="" td=""></mdl)>				
	MDL = Method Detection Limit				



TEST REPORT Job No./Report No TF Test Item(s):	rt No TR1837939-RV1 Date: 25 December 2020 Page 5 of 18 <u>RESULTS</u>		
	1.4	<u>1.5</u>	<u>1.6</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	ND	NA	ND
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	NA	ND	NA
Flame Retardants			
Sum of PBBs	ND	NA	ND
Monobromobiphenyl	ND	NA	ND
Dibromobiphenyl	ND	NA	ND
Tribromobiphenyl	ND	NA	ND
Tetrabromobiphenyl	ND	NA	ND
Pentabromobiphenyl	ND	NA	ND
Hexabromobiphenyl	ND	NA	ND
Heptabromobiphenyl	ND	NA	ND
Octabromobiphenyl	ND	NA	ND
Nonabromobiphenyl	ND	NA	ND
Decabromobiphenyl	ND	NA	ND
Sum of PBDEs	ND	NA	ND
Monobromodiphenyl ether	ND	NA	ND
Dibromodiphenyl ether	ND	NA	ND
Tribromodiphenyl ether	ND	NA	ND
Tetrabromodiphenyl ether	ND	NA	ND
Pentabromodiphenyl ether	ND	NA	ND
Hexabromodiphenyl ether	ND	NA	ND
Heptabromodiphenyl ether	ND	NA	ND
Octabromodiphenyl ether	ND	NA	ND
Nonabromodiphenyl ether	ND	NA	ND
Decabromodiphenyl ether	ND	NA	ND
Phthalates			
Dibutyl phthalate (DBP)	ND	NA	ND
Butyl benzyl phthalate (BBP)	ND	NA	ND
Bis (2-ethylhexyl) phthalate (DEHP)	ND	NA	ND
Diisobutyl Phthalates (DIBP)	ND	NA	ND

Remarks :	ppm = Parts per million based on dry weight of sample (1 mg/kg = 0.0001%)			
	μg/cm² = Microgram per square centimeter			
	mg/kg with 50 cm² = Milligram per kilogram with 50 square centimetre			
	ND = Not detected (<mdl)< td=""><td>NA = Not applicable</td><td>NR = Not requested</td></mdl)<>	NA = Not applicable	NR = Not requested	
	MDL = Method Detection Limit			



TEST REPORT Job No./Report No Th	R1837939-RV1 Da		Page 6 of 18
Test Item(s):	<u>RESULTS</u>		
	<u>1.7</u>	<u>1.8</u>	<u>1.9</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	ND	NA	NA
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	NA	ND	ND
Flame Retardants			
Sum of PBBs	ND	NA	NA
Monobromobiphenyl	ND	NA	NA
Dibromobiphenyl	ND	NA	NA
Tribromobiphenyl	ND	NA	NA
Tetrabromobiphenyl	ND	NA	NA
Pentabromobiphenyl	ND	NA	NA
Hexabromobiphenyl	ND	NA	NA
Heptabromobiphenyl	ND	NA	NA
Octabromobiphenyl	ND	NA	NA
Nonabromobiphenyl	ND	NA	NA
Decabromobiphenyl	ND	NA	NA
Sum of PBDEs	ND	NA	NA
Monobromodiphenyl ether	ND	NA	NA
Dibromodiphenyl ether	ND	NA	NA
Tribromodiphenyl ether	ND	NA	NA
Tetrabromodiphenyl ether	ND	NA	NA
Pentabromodiphenyl ether	ND	NA	NA
Hexabromodiphenyl ether	ND	NA	NA
Heptabromodiphenyl ether	ND	NA	NA
Octabromodiphenyl ether	ND	NA	NA
Nonabromodiphenyl ether	ND	NA	NA
Decabromodiphenyl ether	ND	NA	NA
Phthalates			
Dibutyl phthalate (DBP)	ND	NA	NA
Butyl benzyl phthalate (BBP)	ND	NA	NA
Bis (2-ethylhexyl) phthalate (DEHP)	ND	NA	NA
Diisobutyl Phthalates (DIBP)	ND	NA	NA

Remarks :	ppm = Parts per million based on dry weight of sar	nple (1 mg/kg = 0.0001%)			
	μg/cm² = Microgram per square centimeter				
	mg/kg with 50 cm ² = Milligram per kilogram with 50) square centimetre			
	ND = Not detected (<mdl) applicable="" na="Not" nr="Not" requested<="" td=""></mdl)>				
	MDL = Method Detection Limit				



TEST REPORT Job No./Report No TF Test Item(s):		RESULTS	Page 7 of 18
	<u>1.10</u>	<u>1.11</u>	<u>1.12</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	ND	ND	NA
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	NA	NA	ND
Flame Retardants			
Sum of PBBs	ND	ND	NA
Monobromobiphenyl	ND	ND	NA
Dibromobiphenyl	ND	ND	NA
Tribromobiphenyl	ND	ND	NA
Tetrabromobiphenyl	ND	ND	NA
Pentabromobiphenyl	ND	ND	NA
Hexabromobiphenyl	ND	ND	NA
Heptabromobiphenyl	ND	ND	NA
Octabromobiphenyl	ND	ND	NA
Nonabromobiphenyl	ND	ND	NA
Decabromobiphenyl	ND	ND	NA
Sum of PBDEs	ND	ND	NA
Monobromodiphenyl ether	ND	ND	NA
Dibromodiphenyl ether	ND	ND	NA
Tribromodiphenyl ether	ND	ND	NA
Tetrabromodiphenyl ether	ND	ND	NA
Pentabromodiphenyl ether	ND	ND	NA
Hexabromodiphenyl ether	ND	ND	NA
Heptabromodiphenyl ether	ND	ND	NA
Octabromodiphenyl ether	ND	ND	NA
Nonabromodiphenyl ether	ND	ND	NA
Decabromodiphenyl ether	ND	ND	NA
Phthalates			
Dibutyl phthalate (DBP)	ND	ND	NA
Butyl benzyl phthalate (BBP)	ND	ND	NA
Bis (2-ethylhexyl) phthalate (DEHP)	ND	ND	NA
Diisobutyl Phthalates (DIBP)	ND	ND	NA

Remarks :	ppm = Parts per million based on dry w	eight of sample (1 mg/kg = 0.0001%)	
	μg/cm² = Microgram per square centimeter		
	mg/kg with 50 cm ² = Milligram per kilogram with 50 square centimetre		
	ND = Not detected (<mdl)< td=""><td>NA = Not applicable</td><td>NR = Not requested</td></mdl)<>	NA = Not applicable	NR = Not requested
	MDL = Method Detection Limit		



Test Item(s):	<u>RESULTS</u>		
	<u>1.13</u>	<u>1.14</u>	<u>1.15</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	NA	ND	NA
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	ND	NA	ND
Flame Retardants			
Sum of PBBs	NA	NA	NA
Monobromobiphenyl	NA	NA	NA
Dibromobiphenyl	NA	NA	NA
Tribromobiphenyl	NA	NA	NA
Tetrabromobiphenyl	NA	NA	NA
Pentabromobiphenyl	NA	NA	NA
Hexabromobiphenyl	NA	NA	NA
Heptabromobiphenyl	NA	NA	NA
Octabromobiphenyl	NA	NA	NA
Nonabromobiphenyl	NA	NA	NA
Decabromobiphenyl	NA	NA	NA
Sum of PBDEs	NA	NA	NA
Monobromodiphenyl ether	NA	NA	NA
Dibromodiphenyl ether	NA	NA	NA
Tribromodiphenyl ether	NA	NA	NA
Tetrabromodiphenyl ether	NA	NA	NA
Pentabromodiphenyl ether	NA	NA	NA
Hexabromodiphenyl ether	NA	NA	NA
Heptabromodiphenyl ether	NA	NA	NA
Octabromodiphenyl ether	NA	NA	NA
Nonabromodiphenyl ether	NA	NA	NA
Decabromodiphenyl ether	NA	NA	NA
Phthalates			
Dibutyl phthalate (DBP)	NA	NA	NA
Butyl benzyl phthalate (BBP)	NA	NA	NA
Bis (2-ethylhexyl) phthalate (DEHP)	NA	NA	NA
Diisobutyl Phthalates (DIBP)	NA	NA	NA

Remarks :	ppm = Parts per million based on dry weight of sample (1 mg/kg = 0.0001%)		
	µg/cm² = Microgram per square centimeter		
	mg/kg with 50 cm ² = Milligram per kilogra	am with 50 square centimetre	
	ND = Not detected (<mdl)< td=""><td>NA = Not applicable</td><td>NR = Not requested</td></mdl)<>	NA = Not applicable	NR = Not requested
	MDL = Method Detection Limit		



Test Item(s):	<u>RESULTS</u>		
	<u>1.16</u>	<u>1.17</u>	<u>1.18</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	ND	ND	NA
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	NA	NA	ND
Flame Retardants			
Sum of PBBs	ND	ND	NA
Monobromobiphenyl	ND	ND	NA
Dibromobiphenyl	ND	ND	NA
Tribromobiphenyl	ND	ND	NA
Tetrabromobiphenyl	ND	ND	NA
Pentabromobiphenyl	ND	ND	NA
Hexabromobiphenyl	ND	ND	NA
Heptabromobiphenyl	ND	ND	NA
Octabromobiphenyl	ND	ND	NA
Nonabromobiphenyl	ND	ND	NA
Decabromobiphenyl	ND	ND	NA
Sum of PBDEs	ND	ND	NA
Monobromodiphenyl ether	ND	ND	NA
Dibromodiphenyl ether	ND	ND	NA
Tribromodiphenyl ether	ND	ND	NA
Tetrabromodiphenyl ether	ND	ND	NA
Pentabromodiphenyl ether	ND	ND	NA
Hexabromodiphenyl ether	ND	ND	NA
Heptabromodiphenyl ether	ND	ND	NA
Octabromodiphenyl ether	ND	ND	NA
Nonabromodiphenyl ether	ND	ND	NA
Decabromodiphenyl ether	ND	ND	NA
Phthalates			
Dibutyl phthalate (DBP)	ND	ND	NA
Butyl benzyl phthalate (BBP)	ND	ND	NA
Bis (2-ethylhexyl) phthalate (DEHP)	ND	ND	NA
Diisobutyl Phthalates (DIBP)	ND	ND	NA

Remarks :	ppm = Parts per million based on dry weight of sa	ample (1 mg/kg = 0.0001%)	
	µg/cm ² = Microgram per square centimeter		
	mg/kg with 50 cm ² = Milligram per kilogram with t	50 square centimetre	
	ND = Not detected (<mdl)< td=""><td>NA = Not applicable</td><td>NR = Not requested</td></mdl)<>	NA = Not applicable	NR = Not requested
	MDL = Method Detection Limit		



Test Item(s):	<u>RESULTS</u>		
	<u>1.19</u>	<u>1.20</u>	<u>1.21</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	NA	NA	NA
Flame Retardants			
Sum of PBBs	NA	NA	NA
Monobromobiphenyl	NA	NA	NA
Dibromobiphenyl	NA	NA	NA
Tribromobiphenyl	NA	NA	NA
Tetrabromobiphenyl	NA	NA	NA
Pentabromobiphenyl	NA	NA	NA
Hexabromobiphenyl	NA	NA	NA
Heptabromobiphenyl	NA	NA	NA
Octabromobiphenyl	NA	NA	NA
Nonabromobiphenyl	NA	NA	NA
Decabromobiphenyl	NA	NA	NA
Sum of PBDEs	NA	NA	NA
Monobromodiphenyl ether	NA	NA	NA
Dibromodiphenyl ether	NA	NA	NA
Tribromodiphenyl ether	NA	NA	NA
Tetrabromodiphenyl ether	NA	NA	NA
Pentabromodiphenyl ether	NA	NA	NA
Hexabromodiphenyl ether	NA	NA	NA
Heptabromodiphenyl ether	NA	NA	NA
Octabromodiphenyl ether	NA	NA	NA
Nonabromodiphenyl ether	NA	NA	NA
Decabromodiphenyl ether	NA	NA	NA
Phthalates			
Dibutyl phthalate (DBP)	NA	NA	NA
Butyl benzyl phthalate (BBP)	NA	NA	NA
Bis (2-ethylhexyl) phthalate (DEHP)	NA	NA	NA
Diisobutyl Phthalates (DIBP)	NA	NA	NA

Remarks :	ppm = Parts per million based on dry weight of	[*] sample (1 mg/kg = 0.0001%)	
	µg/cm² = Microgram per square centimeter		
	mg/kg with 50 cm ² = Milligram per kilogram wit	h 50 square centimetre	
	ND = Not detected (<mdl)< td=""><td>NA = Not applicable</td><td>NR = Not requested</td></mdl)<>	NA = Not applicable	NR = Not requested
	MDL = Method Detection Limit		



Test Item(s):	<u>RESULTS</u>		
	<u>1.22</u>	<u>1.23</u>	<u>1.24</u>
Cadmium(Cd)	ND	ND	ND
Lead (Pb)	ND	ND	ND
Mercury (Hg)	ND	ND	ND
Hexavalent Chromium (Cr(VI)) (ppm) (for non metal)	ND	NA	NA
Hexavalent Chromium (Cr(VI)) (µg/cm²) (for metal)	NA	ND	ND
Flame Retardants			
Sum of PBBs	ND	NA	NA
Monobromobiphenyl	ND	NA	NA
Dibromobiphenyl	ND	NA	NA
Tribromobiphenyl	ND	NA	NA
Tetrabromobiphenyl	ND	NA	NA
Pentabromobiphenyl	ND	NA	NA
Hexabromobiphenyl	ND	NA	NA
Heptabromobiphenyl	ND	NA	NA
Octabromobiphenyl	ND	NA	NA
Nonabromobiphenyl	ND	NA	NA
Decabromobiphenyl	ND	NA	NA
Sum of PBDEs	ND	NA	NA
Monobromodiphenyl ether	ND	NA	NA
Dibromodiphenyl ether	ND	NA	NA
Tribromodiphenyl ether	ND	NA	NA
Tetrabromodiphenyl ether	ND	NA	NA
Pentabromodiphenyl ether	ND	NA	NA
Hexabromodiphenyl ether	ND	NA	NA
Heptabromodiphenyl ether	ND	NA	NA
Octabromodiphenyl ether	ND	NA	NA
Nonabromodiphenyl ether	ND	NA	NA
Decabromodiphenyl ether	ND	NA	NA
Phthalates			
Dibutyl phthalate (DBP)	ND	NA	NA
Butyl benzyl phthalate (BBP)	ND	NA	NA
Bis (2-ethylhexyl) phthalate (DEHP)	ND	NA	NA
Diisobutyl Phthalates (DIBP)	ND	NA	NA

Remarks :	ppm = Parts per million based on dry weight of sample (1 mg/kg = 0.0001%)		
	µg/cm ² = Microgram per square centimeter		
	mg/kg with 50 cm ² = Milligram per kilogram with	50 square centimetre	
	ND = Not detected (<mdl)< th=""><th>NA = Not applicable</th><th>NR = Not requested</th></mdl)<>	NA = Not applicable	NR = Not requested
	MDL = Method Detection Limit		



AB-0690-T

TR1837939-RV1

12-20

TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 12 of 18

SUBSTANCE	LIMITS	
Cadmium (Cd)Content	0.01 % (100	ppm)
Chromium VI (Cr+6)Content(ppm)(for non metal) 0.1 % (1000 ppm)		ppm)
Chromium VI (Cr+6)Content(µg/cm²)for metal)	Colorimetric result $< 0.10 \ \mu g/cm^2$ $\ge 0.10 \ \mu g/cm^2$ and $\le 0.13 \ \mu g/cm^2$ $> 0.13 \ \mu g/cm^2$	Qualitative Result Negative Inconclusive Positive
Lead (Pb) Content	0.1 % (1000 ppm)	
Mercury (Hg) Content	0.1 % (1000	ppm)
PBB	0.1 % (1000	ppm)
PBBDE	0.1 % (1000	ppm)
Dibutyl Phthalate (DBP)	0.1 % (1000	ppm)
Diethyl Hexyl Phthalate (DEHP)	0.1 % (1000	ppm)
Benzyl Butyl Phthalate (BBP)	0.1 % (1000	ppm)
Diisobutyl Phthalate (DIBP)	0.1 % (1000	ppm)

Testing Item	Testing Method	MDL
Cadmium (Cd)Content	With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.	2 ppm
Lead (Pb)Content	With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.	2 ppm
Mercury (Hg)Content	With reference to IEC 62321-4:2013+A1:2017, determination of Mercury by ICP-OES.	2 ppm
Chromium VI (Cr6+) (For non-metal)	With reference to IEC 62321-7-2:2017, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.	8 ppm
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321-7-1:2015, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.	0.1 μg/cm² with 50 cm² (IN TESTING SOLUTION)
PBBs/PBDEs	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	5 ppm
Phthalates	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	50 ppm



TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 13 of 18

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series <u>http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:12586</u> <u>37,25</u>
- (2) On 4 June 2015, <u>Commission Directive (EU) 2015/863</u> was published in the Official Journal of the European Union (OJEU) to include the phthalates BBP, DBP, DEHP and DIBP into ANNEX II of the Rohs Recast Directive. The new law restricts each phthalate to no more than 0.1% in each homogeneous material of an electrical product.
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.
- (4) The restriction of DEHP, BBP, DBP and DIBP shall not apply to cables or spare parts for the repair, the reuse, the updating of functionalities or upgrading of capacity of EEE placed on the market before 22 July 2019, and of medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, placed on the market before 22 July 2021.
- (5) The restriction of DEHP, BBP and DBP shall not apply to toys which are already subject to the restriction of DEHP, BBP and DBP through entry 51 of Annex XVII to Regulation (EC) No 1907/2006.



AB-0690-T
TR1837939-RV1
12-20

TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 14 of 18



1.1

















AB-0690-T
TR1837939-RV1
12-20

TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 15 of 18

1.5





1.9















AB-0690-T
TR1837939-RV1
12-20

TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 16 of 18

1.11









1.12

1.14



1.16





AB-0690-T
TR1837939-RV1
12-20

TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 17 of 18

1.17







1.21



1.18



1.20



1.22





AB-0690-T
TR1837939-RV1
12-20

TEST REPORT Job No./Report No TR1837939-RV1 Date: 25 December 2020 Page 18 of 18







End of Test Report