



Product Catalogue

Thermostats | Switches | Sockets | Actuators | Sensors | Dimmers



Hotel GRMS
Solutions



Smart Home
Solutions



Lighting Control
Solutions



eaetechnology.com



eaetechnology.com

INDEX

| | |
|-------------------------------|----|
| Mona Series | 04 |
| Rosa Series | 06 |
| Oria Series | 10 |
| TD4 Touch Panel..... | 12 |
| Miola Touch Panel | 14 |
| Sensors & Panel Devices | 16 |
| Certificates | 20 |
| References | 21 |


MONA




The Mona Series consists of a user-friendly, elegant frameless glass design and intuitive operation, with capacitive buttons through minimalist icons. With its touch operated design and minimalist icons, it is suitable to be a part of your living space with its various color options.

 Touch Operated


 Glass Surface

 Switch, Thermostat and Socket Together

 Frameless, minimalist design

 Short Press

 Icon Options


 Away, comfort, night and protection modes

 Independent programmable buttons

 Various color option

 Double Press

 RGB LED option

 Up to more than 5 combined monoblock modules


 Hundreds of different combinations

 Triple Press

 Long Press



| Dimensions (mm) | a | b | h |
|-----------------|-----|----|-----|
| Single | 90 | 12 | 100 |
| 2 Module | 161 | 12 | 100 |
| 3 Module | 232 | 12 | 100 |
| 4 Module | 303 | 12 | 100 |
| 5 Module | 374 | 12 | 100 |



Card Holder
Up to 6 buttons



Thermostat
Up to 6 buttons
Optional in-built PIR sensor



Switch
Up to 12 buttons
Optional in-built PIR sensor

▶ DND MUR

- Laundry icon
- IP65 protection degree
- Horizontal useage
- Small DND/MUR useage (90x100)



▶ Welcome Panel

- Combination with thermostat
- Combination with switch



▶ Bedside Panel

- Hundreds of different combinations
- Up to 5 combined monoblock modules
- Compatibility with EU, BS universal sockets



▶ Socket

BS standard, European standard and Modular standard sockets are compatible with Mona series.

Modular European Sockets



British Sockets



Modular British Sockets



Modular Italian Sockets



European Sockets



ROSA METAL



Inherent color tone variations are normal to be observed on bronze and gold due to anodizing surface treatment process.

Rosa thermostats are designed for the needs of modern buildings. Rosa's intuitive design allows all ages to control their living space easily. New generation frameless design fits architects' expectation and getting their compliments.



Touch Operated



Glass Surface



Switch, Thermostat and Socket Together



Frameless, minimalist design



Temperature and humidity sensor options



Icon Options



Away, comfort, night and protection modes



Additional heating-cooling control



Various color option



Fully automatic heating-cooling transition



Optional in-built temperature sensor for switches



Feedback and Navigation LEDs



Independent, programmable buttons



Short Press



Double Press



Triple Press




Long Press

Rosa Metal Series Thermostat Color Options




Rosa Metal Series Switch Color Options



Thermostat
up to 4 Fold




Switch
up to 5 Fold



Socket
BS, EU, universal socket compatibility.

ROSA PICTUS



Touch Operated



Glass Surface



Frameless, minimalist design



Independent, programmable buttons



Short Press



Double Press



Tripple Press



Long Press



Icon Options



Temperature and humidity sensor options



Feedback and Navigation LEDs



Various color option



Navigation LEDs

Switches

Rosa Pictus metal keys perfectly match the expectations of interior designers with their 5 different color options and brushless metal surface. Optional temperature sensors on Rosa Switches can measure room temperature from different places.



Thermostat

Rosa Pictus metal thermostats, which technically have the same features as other Rosa series; It can be adapted to different concept designs with its brushless, painted surface option. 5 different color options offer users and interior designers a wide range of complement ary products.



Thermostat
up to 4 Fold



Switch
up to 5 Fold



Socket
BS, EU, universal socket compatibility.

ROSA CRYSTAL



The Rosa Crystal switch and thermostat series, which has the same features as the metal ones in technical terms, can also be adapted to different concept designs with glass surface option. Rosa Crystal can be colored according to the selected RAL code, adapts to the demands of the interior designers and fast changing trend.



Touch operated



4mm tempered glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Icon options



Navigation LEDs



Feedback LEDs



Comfort, night, protection and away modes



Independent, programmable buttons



Various color option



Short Press



Double Press




Tripple Press



Long Press



Rosa Crystal Series
Thermostat
Color Options



Rosa Crystal Series
Switch Color
Options



Thermostat
Up to 4 fold




Switch
Up to 5 fold



Socket
BS, EU, universal socket compatibility.


Dimensions for ROSA

Thermostat




| Dimensions (mm) | a | b | h |
|-------------------|----|----|--------|
| 1 Fold Thermostat | 85 | 11 | 85 |
| 2 Fold Thermostat | 85 | 11 | 85 |
| 3 Fold Thermostat | 85 | 11 | 114,60 |
| 4 Fold Thermostat | 85 | 11 | 143,60 |

Assembly Detail




Important note!

The optimum distance between the two thermostats should be at least **120 mm** from center to center.



Switches




| Dimensions (mm) | a | b | h |
|-----------------|----|----|-----|
| Single Switch | 85 | 11 | 85 |
| 1 Fold Switch | 85 | 11 | 85 |
| 2 Fold Switch | 85 | 11 | 85 |
| 3 Fold Switch | 85 | 11 | 85 |
| 4 Fold Switch | 85 | 11 | 114 |
| 5 Fold Switch | 85 | 11 | 143 |

Sockets

The Mona serie offers glass surface, minimalist design, wide collection up to 5 gang, wide range of colors. BS standard, European standard and Modular standard sockets are compatible with Mona series.

Single Socket - Black Glass



Quadruple Socket+Socket+TV/SAT - White Glass



European Socket

| Dimensions | a | h |
|------------|-----|----|
| Single | 85 | 85 |
| Double | 156 | 85 |
| Triple | 227 | 85 |
| Quadruple | 298 | 85 |
| Quintet | 369 | 85 |



2M USB + Data - Bronze



3M Shaver Socket - Natural



4M Universal Socket + SAT/TV - Gold



2M USB + Data - Bronze



Modular Socket

| Dimensions | a | h |
|------------|-----|----|
| 1M | 85 | 85 |
| 2M | 85 | 85 |
| 3M | 124 | 85 |
| 4M | 144 | 85 |
| 6M | 190 | 85 |



1 Gang Socket - Natural



2 Gang Socket - Anthracite



2 Gang Socket+USB - Gold



1 Gang Socket - Light Grey



British Socket

| Dimensions | a | h |
|------------|-----|----|
| 1 Gang | 92 | 85 |
| 2 Gang | 152 | 85 |



ORIA




Expandable up to 4 folds, Oria thermostat provide a wide collection of possibilities for all spaces where both thermostats and programmable switches are needed at the same time.

- Lifetime guarantee for surface quality
- Switch and Thermostat Socket Together
- Various color option
- Icon Options
- Away, comfort, night and protection modes
- Additional heating-cooling control
- Fully automatic heating-cooling transition
- Feedback LEDs
- Independent, programmable buttons


| | | | |
|---|--|---|----------------------------|
| | | 0 | Light On / Off |
| ^ | | v | Light Enhance / Dim |
| ^ | | v | Volume Increase / Decrease |
| | | | Scene |
| ^ | | v | Shutter-Blind |
| ^ | | v | Shutter-Blind Wing |
| | | | Away - Stay |

Assembly Detail



Important note!

The optimum distance between the two thermostats should be at least **120 mm** from center to center.



Thermostat
Up to 4 fold

Programmable buttons on Oria thermostats can control comfort and energy saving needs such as lighting, shutter/blind, scene call, speakers and panic button for you.



Switch
Up to 6 fold

With rich collection of options expandable to 12 buttons in a single frame, enjoy one-point management of on-site lighting, heating-cooling, shutter-blind, speakers, scene call and panic buttons controls.



Socket
Up to 5 gang

EU, universal socket compatibility

Technical Specifications

| | | |
|-----------------------|---|-------------------------------------|
| Protection type | IP 20 | EN 60529 |
| Safety class | II | EN 61140 |
| Power Supply | Voltage Range | 21-30V DC, Supply from EIB/KNX line |
| | Supply voltage | <10 mA |
| Button operation life | 100.000 | |
| Temperature | Operating | -5° C + 45° C |
| | Storage | -25° C + 55° C |
| CE | In accordance with EMC guideline and low voltage regulation | |

Dimensions

Single

1 Fold

2 Fold

3 Fold

4 Fold

5 Fold

6 Fold

2 Fold

3 Fold

4 Fold

| Dimensions (mm) | a | b | h |
|-----------------|----|---|-------|
| Single Switch | 90 | 9 | 90 |
| 1 Fold Switch | 90 | 9 | 90 |
| 2 Fold Switch | 90 | 9 | 90 |
| 3 Fold Switch | 90 | 9 | 90 |
| 4 Fold Switch | 90 | 9 | 90 |
| 5 Fold Switch | 90 | 9 | 111,5 |
| 6 Fold Switch | 90 | 9 | 133 |

| Dimensions (mm) | a | b | h |
|-------------------|----|---|-------|
| 2 Fold Thermostat | 90 | 9 | 90 |
| 3 Fold Thermostat | 90 | 9 | 111,5 |
| 4 Fold Thermostat | 90 | 9 | 133 |

Socket

Single Frame - Antique

Double Frame - Pearl White

Quadruple Frame - Pearl White

Quintet Frame - Mustang Gray

Tripple Frame - Anthracite

1M Frame - Pearl White

2M Frame - Pearl White

4M Frame - Anthracite

6M Frame - Antique

TD4



TD4-KNX 4"

Touch Display

"All controls at your fingertips."



Capacitive Touch Screen



All In One Control



4 Zone Thermostat Control



Tunable White



Built-in Temperature Sensor



Proximity Sensor



RGB Control



Audio Control



Touch Vibration Feedback



Humidity and CO₂ Display



Air Quality Display



Energy Metering Display



RGB Navigation LED Bar



Configuration by ETS



Technical Specifications

| | | |
|------------------|-----------------------------|-----------------------------------|
| Bus supply | Bus voltage | 21V-30V DC, via the KNX bus |
| | Bus current | <4.5mA/24V DC, <4mA/30V DC |
| | Bus consumption | <120mW |
| Auxiliary supply | Voltage | 24-30V DC |
| | Current | <86mA/24V DC, <71mA/30V DC |
| | Consumption | <2.2W |
| Connections | KNX | Bus connection terminal |
| | Auxiliary supply | KNX auxiliary connection terminal |
| Installation | 80mm or 86mm wiring box | |
| Tempererature | Operation | -5 °C... + 45 °C |
| | Storage | -25 °C... + 55 °C |
| Proximity Sensor | Standard 15cm, Enhance 30cm | |
| Dimension | 86x101.3x10.5mm (32.2mm) | |
| Weight | 0.2kg | |

Product Color

Black



White



MIOLA



With Miola Panel, you can easily control your home!



Metal and Plastic Lath Options



Gray




Black

Technical Specifications

| SCREEN SIZE | 7" MIOLA KNX-TP | 10.1" MIOLA KNX-TP |
|---------------------------|--------------------------------|--------------------------------|
| CPU | PX30 Chipset | PX30 Chipset |
| Memory | 1GB | 1GB |
| Hard Disk | 8GB EMMC | 8GB EMMC |
| Operating System | Android 8.0 | Android 8.0 |
| Power | 12-30 VDC | 12-30 VDC |
| Resolution | 600x1024px | 1280x800px |
| Touch Panel | Project Capacitive Touch | Project Capacitive Touch |
| Microphone | 1 with Echo Cancellation | 1 with Echo Cancellation |
| Speaker | 1x8 Ohm - 2 Watts | 1x8 Ohm - 2 Watts |
| Input | 5 Digital Inputs | 5 Digital Inputs |
| KNX Bus Connection | KNX - TP | KNX - TP |
| LAN | 2 | 2 |
| Dual Network Connectivity | Yes | Yes |
| Drivers | EAEOS Operating System Drivers | EAEOS Operating System Drivers |
| Max Accessory Limit | 254 | 254 |
| Max Room Limit | 254 | 254 |
| Intercom Standart | SIP 2.0 | SIP 2.0 |
| Onwall Dimensions | 140 x 235 x 4 mm | 264 x 208 x 4 mm |

System Topology




Sensors & Panel Devices



▶ Movement/Presence Sensor PD100/MD100

Surface mounting and flush mounting option
2-point fixed-light control
Independent HVAC duct
Master / Slave Fully / Semi-automatic operation modes
Motion detection at 2.5 m mounting height, 9 m diameter


Constant
Light Control



▶ Corridor Sensor CD100

Different levels of brightness can be arranged for the states of; "Movement", "After Movement", and "No Movement". It can operate in parallel connection with other sensors either on standalone or master-slave basis depending on application requirements

CD100 20x6m
Coverage Area



▶ High Bay Sensor HB360

Constant light control
Fully / Semi automatic lighting control
Independent HVAC duct
Lighting can be set to different brightness levels

25m x 14m
Coverage Area



▶ Power Supply PSU320 / PSU640

EAE KNX Power Supply is available in 320 mA and 640 mA versions
Input voltage range 150-275V AC, 50 60Hz

Output 1: KNX bus power 30VDC

Output 2: Additional voltage output. (30VDC)

Short-circuit and overload protected outputs
LED indicators for Power, Overload and Reset status

Additional
30V DC Output



▶ IP Router/IP Interface IPR200 / IPI200

IPR200 can be used as a line or backbone coupler. However, it also provides an electrical isolation between connected lines.

IPI200 is a tunneling device. It creates a connection point for ETS to enable commissioning and monitoring via tunneling protocol.

5 Simultaneous
KNXnet / IP
Connections

▶ IPR200S/IPI200S

IP Router Secure IP Interface Secure



IPR200S supports KNX Security. The option can be activated in the ETS. As a secure router, the device enables the coupling of unsecured communication on a KNX TP line with a secure IP backbone. KNX Security also prevents unauthorised access to the interface function (tunneling).

IPI200S serves as a universal interface for PC to the KNX bus. The KNX bus can be accessed from any point on the LAN. The KNX IP Interface Secure can be used as a programming interface for ETS®. For access via KNXnet/IP Tunneling max. 8 simultaneous connections are possible.

8 Simultaneous
KNXnet / IP
Connections



▶ Line Coupler LC200



Built-in filter tables for group-oriented communication.
Support of long messages up to 240 bytes APDU length.
Galvanic isolation between KNX lines.
Flexibility to be used as line coupler, area coupler or as a backbone coupler.
Does not require an additional power supply.

Temporary disabling
of routing filter
via button



▶ Line Coupler Secure LC200S




LC200S is a KNX line coupler in a compact design. It connects two KNX bus segments.
The device has an extended filter table for main group 0..31 and ensures a galvanic isolation between the lines.
The coupler supports KNX Data Security and KNX Long Frames.
It is compatible with the ETS® software ETS 5 or higher.

Temporary disabling
of routing filter
via button



▶ Room Control Unit RCU

(RCU2018, RCU2000, RCU1616, RCU1600, RCU0808, RCU0800)



On/Off, HVAC, Shutter/Blind control.
20x16A relay output
Switching resistive and inductive loads
18 independent input channels
7 functions for each channel (staircase, external/internal logic, priority, threshold, sweeping functions and transaction time)

20x16A Outputs
+
18 Inputs



▶ Switch Actuator SW104 / SSW108

(RCU2018, RCU2000, RCU1616, RCU1600, RCU0808, RCU0800)



4/8 independent channels
Manual control via device on each channel
7 functions (staircase, external/internal logic, priority, threshold, sweeping functions and transaction time) can be defined for each channel separately.
Does not require external power supply.

500A Inrush
Current Switching



Sensors & Panel Devices



Fancoil Actuator FCA100

0-10V valve control
1/2/3 step fan control
4 dry inputs
2 external NTCs

One actuator for
all types of fan
coil units and valves



DALI Gateway DALI100

64 Lighting Stage
16 Group Control
DALI100 can use up to 8 DALI sensors
Error status of DALI devices, device-based and
group-based, with different
KNX communication objects
Intersecting DALI groups

Emergency
Lighting
Monitoring



KNX Modbus Gateway KMG103

**Optional ASSA ABLOY or Dormakaba doorlock
system integration**
Built in 320mA / 640mA power supply
Device includes logic controller that enables room
energy saver system without using card holder.
Device has 3 dry contact inputs for ; Doors,
Windows and Presence

Occupancy based
energy saver
without card holder



Universal Dimmer UD106

6 independent channels manual operation feature
Up to 1800/VA with 6 parallel channels.
Configurable behaviour after voltage return,
voltage failure or ETS download.
Flicker free
Automatic load detection
Over voltage, over current protection
Over heating, short circuit protection
Constant voltage/current driver

6 Parallel Channels



1-10V/0-10V Dimming Actuator SD110

10 independent channels.
Configurable behaviour after voltage return,
voltage failure or ETS download

10 x 16A
1-10V
0-10V





Matter Bridge

KMB100



Utilizing the Matter protocol for secure communication over IP
Control through Apple Home, Google Home, Amazon Alexa, or Samsung SmartThings
Manage lights, thermostats, scenes through one central hub
Create personalized automation and schedules
In-built power supply and preventing extra costs
Easily programming through ETS

Control through Apple Home, Google Home, Amazon Alexa or Samsung SmartThings



Universal Interface

UI108



8 functional input channels
Easy connection with color connection cables
6 different functions (switching, dimming, curtain control, value/priority info, scene control, pulse counter)

6 Different Operating Modes



Mitsubishi AC Gateway

ACGME100



Operating Hours & Alarm
Remote Lock Function
Bus Return AC behaviors determination
Scene Function
Energy Saver functions (Window/Door Sensor and Auto-OFF Timer)

Personalised scene call



Daikin AC Gateway

ACGDAI100



Master or Slave mode
AC unit can be controlled by Daikin thermostat controller and KNX simultaneously
Advanced climate control possibility with external reference temperature
Remote control lock function
Preservation of last state (behavior bus voltage return)
Scene function
Logic function

Personalised scene call



Multi Input/Output

MIO1616



LEDs and buttons on the KNX panel can be used with a single device
Design does not require external supply source

16 Input
16 Output



Certificates

EAE Technology products are and will always be in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.



KNX is the worldwide standard for home and building control. KNX offers at the same time the reliability of a consolidated system, market leader for over twenty years. (470 KNX Members, 8000 Products, 470 KNX Training Centers, 83000 KNX Partners, 190 Countries)



DALI (Digital Addressable Lighting Interface) is a protocol for digital lighting control that enables the easy installation of robust, scalable and flexible lighting networks.



EU rules restricting the use of hazardous substances in electrical and electronic equipment to protect the environment and public health.



This standard is based on a number of quality management principles including a strong customer focus, the motivation and implication of top management, the process approach and continual improvement. These principles are explained in more detail in ISO's quality management principles.



The EAC certifications are issued by independent EAC certification bodies and their laboratories accredited by the relevant agencies of the five members of the EAC Economic Union: Russia, Belarus, Kazakhstan, Armenia and Kyrgyzstan.





SOME OF OUR REFERENCES

HOTEL REFERENCES



Le MERIDIEN MARRIOTT
HOTEL
Batumi



AUTOGRAPH COLLECTION
MARRIOTT
Istanbul



MARRIOTT SIRKECI HOTEL
(Basiret Han)
Istanbul



NG PHASELIS BAY HOTEL
Antalya



MILLENNIUM

MILLENNIUM WEST HOTEL
Istanbul



RIXOS PREMIUM BODRUM
Mugla



RADISSON HOTEL
Izmir/Aliaga



RADISSON BLUE HOTEL
India



MABIN HURA MALDIVES
Maldives



RIXOS PREMIUM DUBAI
UAE



GRAND HOTEL
Niger



TFF RIVA HOTEL
Istanbul



NAU HOTEL
Portugal



GRAND GALATA HOTEL
Istanbul



KARAVANSARAY COMPLEX
Kazakhstan



SHAHDAG HOTEL & SPA
Azerbaijan

HOTEL REFERENCES



SHERATON HOTEL BATUM
Batumi



AKRA SÖRGÜN TUI BLUE
SENSATORI
Antalya



CROWNE PLAZA
ORYAPARK
Istanbul



CROWNE PLAZA
Tachikistan



RIXOS TEKIROVA
Antalya



VONRESORT
GOLDEN BEACH
VONRESORT KUŞADASI
Antalya



DOLCE BY WYNDHAM
Ankara



MELDEN HOTEL
Mugla/Fethiye



SMART BY DEDEMAN
HOTEL
Eskisehir



WASHINGTON HOTEL
Antalya



ROCKS HOTEL
Cyprus



ALMIRA HOTEL
Bursa



SHUSHA HOTEL
Azerbaijan



DEMONTI HOTEL
Ankara



TIERRA MAR HOTEL
Antalya



LOV FARALYA
Mugla

HOTEL REFERENCES



Kempinski Hotel
The Dome
BELEK ANTALYA

KEMPINSKI DOME BELEK
Antalya



HAMPTON BY HILTON
SIRKECI
Istanbul



HILTON SARIKAMIS
Kars



ALTUNIZADE HILTON
Istanbul



INEMARE HOTEL
Kırklareli



BENIN SOFITEL HOTEL
Benin



FASQ HOTEL
Mauritania



CIELO HOTEL
Qatar



MÖVENPICK HOTEL
UAE



ST REGIS HOTEL
Oman



ROTANA HOTEL
UAE



EMILY RESORT
Lviv



CONDOR HOTEL
Romania



SHERATON HOTEL
Senegal



PEARL MARRAKECH HOTEL
Marrakech



KATE HOTEL SPECIAL CLASS
Istanbul

RESIDENTAL REFERENCES



FOLKART VEGA

FOLKART VEGA
İzmir



FOLKART ÇEŞME

FOLKART BOYALIK
Izmir



nef

BODRUM NEF GOLKOY
KEMPINSKI
Bodrum



ROUTE İSTANBUL

ROUTE İSTANBUL
Istanbul



Vadikoru

VADIKORU RESIDENCE
Istanbul



mesa CUBUKLU 28

MESA CUBUKLU 28
Istanbul



BONNEVILLE MIHRAPLI

BONNEVILLE MIHRAPLI
Bursa



CENTRAL BALAT

CENTRAL BALAT
RESIDENCE
Bursa



ALTOWER

ALTOWER
Istanbul



BRODSKY

BRODSKY APARTMENT
Russia



MOTTO

MOTTO TERRACE GARDEN
Konya



BALANCE GÜNESLİ

BALANCE GÜNESLİ
Istanbul



COUNTRY SUITES

COUNTRY SUIT
Gaziantep



HESSAH

HESSAH AL MUBARAK
Kuwait



SPC

SPC BUILD
Sapanca



MERYAKA RESIDENCE

MERYAKA RESIDENCE
Konya

RESIDENTIAL REFERENCES



MESA DEMIRBUK
Bodrum



MESA URLA
Izmir



MESA ORMAN II
Istanbul



MESA ÇENGELKÖY
BOSPHORUS
Istanbul



EMLAK KONUT ÇINARKÖY
HOUSES
Istanbul



KEMPINSKI RESIDENCE
ALACATI
Izmir



PARK PANORAMA
Izmir



COS ALACATI
Izmir



NOA TERRACE RESIDANCE
Izmir



NISH MERAM
Konya



PURA VIDA REZIDANCE
Antalya



PUKKA MARE/NETA
Bodrum



VERA BİTEZ
Bodrum



CLOUD NINE
Russia



NAMET BEYLERBEYİ
Istanbul



SAKLIBAHÇE CAMLICA
Istanbul

RESIDENTIAL REFERENCES



ARTAS EUROPEAN RESIDENCES / ATA BLOCKS
Istanbul



MONA 94
Istanbul



NISH GUMUSLUK
Bodrum



MARITZA RESIDANCE
Istanbul



MANDARIN VILLAS
Çanakkale



ARYA DELUXE
Gaziantep



KECIOREN APARTMENTS
Ankara



NATURA PARK MERAM
Konya



A GARDENYA RESIDENCE
Antalya



DORUK BEYTEPE
Ankara



ARMANI RESIDENCE
Russia



DORUK PARK VILLAS
Istanbul



ROS HEBİL
Bodrum



KOMUT HOUSES
Konya



OVOO
Bodrum



PARK ORMAN VILLAS
Istanbul

HOSPITAL REFERENCES



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

KOCAELI CITY HOSPITAL
İstanbul



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

İZMİR CITY HOSPITAL
İzmir



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

KUTAHYA CITY HOSPITAL
Kutahya



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

ORDU CITY HOSPITAL
Ordu



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

GAZİANTEP MATERNITY
HOSPITAL
Gaziantep



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

ERZİNCAN 500 BED PUBLIC
HOSPITAL
Erzincan



ACIBADEM

ACIBADEM ATASEHIR
HOSPITAL
İstanbul



ACIBADEM

ACIBADEM ADANA
HOSPITAL
Adana



ACIBADEM

ACIBADEM İZMİR KENT
HOSPITAL
İzmir



ACIBADEM

ACIBADEM MALAYSIA
HOSPITAL
Malaysia



MEDICANA

MEDICANA İZMİR HOSPITAL
İzmir



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

TAKSİM İLK YARDIM
HOSPITAL
İstanbul



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

KONYA NUMUNE HOSPITAL
Konya



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

MAMAK PUBLIC HOSPITAL
Ankara



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

SIVAS NUMUNE HOSPITAL
Sivas



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

ALGERIA HOSPITAL
Algeria

HOSPITAL REFERENCES



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

LUTFI KIRDAR TRAINING AND
RESEARCH HOSPITAL
İstanbul



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

SAMSUN CITY HOSPITAL
Samsun



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

ERZURUM CITY HOSPITAL
Erzurum



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

KUTAHYA CITY HOSPITAL
Kutahya



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

MALATYA BATTALGAZI
PUBLIC HOSPITAL
Malatya



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

BAGCILAR PUBLIC
HOSPITAL
İstanbul



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

ESENYURT PUBLIC
HOSPITAL
İstanbul



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

BARTIN PUBLIC HOSPITAL
Bartın



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

AGRI PUBLIC HOSPITAL
Agri



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

MERSİN TARSUS PUBLIC
HOSPITAL
Mersin



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

GIRESUN KALE PUBLIC
HOSPITAL
Giresun



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

NİĞDE 400 BED PUBLIC
HOSPITAL
Niğde



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

SAKARYA MATERNITY
HOSPITAL
Sakarya



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

BOZUYUK PUBLIC
HOSPITAL
Bilecik



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

HATAY DORTYOL PUBLIC
HOSPITAL
Hatay



REPUBLIC OF TÜRKİYE
MINISTRY OF HEALTH

ADIYAMAN MATERNITY
HOSPITAL
Adıyaman

OFFICE REFERENCES



BDDK
Istanbul



ISTANBUL FINANCIAL
CENTER HALK BANK GYO
Istanbul



ISTANBUL FINANCIAL
CENTER 1-13 RECREATION
Istanbul



ISTANBUL FINANCIAL CENTER
SPECIAL PROJECT AREA
Istanbul



ISTANBUL FINANCIAL
CENTER SIGORTA A.S.
Istanbul



ISTANBUL FINANCIAL
CENTER BORSA ISTANBUL
Istanbul



ETI MADEN
Ankara



ACIBADEM GENERAL
CENTER
Istanbul



MOIOSB
Istanbul



NOKIA TURKEY GENERAL
CENTER
Istanbul



BORSA ISTANBUL DATA
CENTER
Istanbul



TURKCELL DATA CENTER
Ankara- Corlu-Gebze



KALYON HOLDING
GENERAL CENTER
Istanbul



KHOSHNAW TOWER
Iraq



TECHNOPARK A BLOCK
Istanbul



EGE YAPI GENERAL
CENTER
Istanbul

OFFICE REFERENCES



HAVELSAN GENERAL CENTER
Ankara



ILBANK
ILBANK ISTANBUL REGIONAL
DIRECTORATE
Istanbul



HUAWEI
HUAWEI GENERAL
CENTER
Istanbul



Mercedes-Benz
MERCEDES BENZ VADI
Istanbul



TV100 GENERAL CENTER
Istanbul



TURK TELEKOM UMRANIYE
R&D BUILD
Istanbul



YEDITEPE TECHNOPARK
Istanbul



YDA CENTER
Ankara



MARMARA ANATOLIUM
TOWER
Istanbul



IS GYO ANKARA TOWER
Ankara



KARAT 34
Istanbul



SARABSKI PLAZA
Azerbaijan



OMSK CARBON OFFICE
Russia



CBI BANK
UAE



BAKU TOWER
Azerbaijan



TOSYALI
HOLDING
TOSYALI ADMINISTRATIVE
BUILDING
Hatay

GOVERNMENT/PUBLIC REFERENCES



TURKISH AIRLINES OPERATION CENTER
Istanbul



TURKISH DO&CO CATERING BUILDING
Istanbul



TURKISH AIRLINES HANGARS
Istanbul



IGA DATA CENTER
Istanbul



TURKISH AIRLINES SIMULATION BUILDING
Istanbul



ISTANBUL AIRPORT MOSQUE
Istanbul



RIZE/ARTVIN AIRPORT
Rize



TOKAT AIRPORT
Tokat



KAYSERI AIRPORT
Kayseri



7th MAIN JET BASE COMMAND
Malatya



ANTALYA AIRPORT DIRECTORE
Antalya



ANTALYA AIRPORT CARGO
Antalya



DULKADIROGLU MUNICIPALITY
Kahramanmaraş



AKSARAY MUNICIPALITY
Aksaray



GUNGOREN MUNICIPALITY BUILDING
Istanbul



BAGCILAR MUNICIPALITY BUILDING
Istanbul

GOVERNMENT/PUBLIC REFERENCES



ATATURK KULTUR MERKEZI
Istanbul



BAKIRKOY MUNICIPALITY
Istanbul



SIVAS GOVERNORSHIP
Sivas



SUPREME ELECTION BOARD
Ankara



GENERAL DIRECTORATE OF
HIGHWAYS
Ankara



BURSA REGIONAL COURT OF
JUSTICE
Bursa



DUDULLU BOSTANCI
TUNNELS
Istanbul



TURKISH PUBLIC RAILWAYS
Ankara



TURKIYE DIRECTORATE OF
COMMUNICATIONS
Ankara



ADIYAMAN GOVERNMENT
HOUSE
Adıyaman



GAZİANTEP TEACHERS'
HOUSE
Gaziantep



CANAKKALE MUNICIPAL
BUILDING
Canakkale



DENİZLİ FORENSIC
MEDICINE
Denizli



İZMİR STATE HYDRAULIC
WORKS
Izmir



BEYOĞLU SOCIAL SECURITY
INSTITUTION BUILDING
Istanbul



G.ANTEP SOCIAL SECURITY
INSTITUTION BUILDING
Gaziantep

GOVERNMENT/PUBLIC REFERENCES



PRESIDENTIAL SYMPHONY ORCHESTRA
Ankara



ANTALYA CENTRAL BANK
Antalya



ERDEMLİ COURTHOUSE
Mersin



PRESIDENCY
AHLAT COMPLEX
Bitlis



AEGEAN CIVILIZATIONS
MUSEUM
Izmir



ADIYAMAN TEACHERS'
HOUSE
Adiyaman



GAZİANTEP
GOVERNORSHIP
Gaziantep



DISASTER and EMERGENCY
MANAGEMENT CENTER
Erzincan/Ankara/K.Maras



DISASTER and EMERGENCY
MANAGEMENT CENTER
Rize/Mugla/Kutahya



DISASTER and EMERGENCY
MANAGEMENT CENTER
Kastamonu/Burdur/Elazig



ANKARA DOCTORS' HOUSE
Ankara



MERSIN SOCIAL SECURITY
INSTITUTION BUILDING
Mersin



ELAZIG SOCIAL SECURITY
INSTITUTION BUILDING
Elazig



KAYSERİ SOCIAL SECURITY
INSTITUTION BUILDING
Kayseri



DEDAS
Diyarbakir



NATIONAL DEFENSE
UNIVERSITY LIBRARY
Istanbul

LOGISTIC CENTERS & PORTS REFERENCES



MILAHA LOGISTIC CITY
Qatar



YALOVA RO-RO PORT
Yalova



SAFIPORT
Kocaeli



OYAKPORT YARIMCA
Kocaeli



PTT INTERNATIONAL CARGO
PROCESSING CENTER
Istanbul



EKOL LOGISTIC
Kocaeli



MIGROS WAREHOUSE
Ankara



VITRA WAREHOUSE
Bilecik



BIM & FILE WAREHOUSE
Ankara



BORUSAN HOLDING
LOJISTIK WAREHOUSE
Istanbul



LCW YALOVA WAREHOUSE
Yalova



KAYSERI YATAS LOGISTIC
Kayseri



MEDLOG LOGISTIC
Izmir



AYDINLI LOGISTIC
Istanbul



FY LOGISTIC
Istanbul



TURKISH CARGO
Istanbul

FACTORY REFERENCES



UNIPRES
UK



BOSCH FACTORY
Bursa



ÇAYKUR RIZE TEA FACTORY
Rize



PHILIP MORRIS FACTORY
Kazakhstan



KORDSA FACTORY
Kocaeli



Mercedes-Benz
MERCEDES BENZ TURKEY
FACTORY
Aksaray



ROKETAN
Ankara



MODERN PACKING
Sakarya



SİŞECAM FACTORY
Eskisehir/Ankara



TURK TRACTOR
Sakarya



REPON FACTORY
Istanbul



ABDİ İBRAHİM
Istanbul



TIRSAN
Sakarya/Kocaeli



AKSA GENERATOR
Istanbul



ARÇELİK
Manisa



BRISA
Istanbul

FACTORY REFERENCES



HYUNDAI

HYUNDAI ASSAN
Kocaeli



CANDY

CANDY HOOVER
Eskisehir



COŞKUNÖZ
METAL FORM

COŞKUNÖZ METAL
Bursa



DURMA

DURMAZLAR MACHINE
Bursa



**İSTANBUL
BÜYÜKŞEHİR
BELEDİYESİ**

İSTANBUL PUBLIC BREAD
FACTORY
İstanbul



Alvi medica

ALVI MEDICA
İstanbul



aselsan

ASELSAN
Ankara



TEI

TEI
Eskisehir



**hakan
PLASTİK**

HAKAN PLASTIC
Cerkezkoy



KOROZO
HYGIENE COMPONENTS

KOROZO
Tekirdag



Otokar

OTOKAR
Sakarya



ASAŞ

ASAS ALUMINUM
Sakarya



nurol
HOLDİNG A.Ş.

NUROL MACHINE
Ankara



NG KUTAHYA

NG CERAMIC FACTORY
Kutahya



KUTAHYA
SERAMİK

KUTAHYA CERAMIC
FACTORY
Kutahya



GÜRAL

GURALLAR CERAMIC
Kutahya

SHOPPING MALL & SPORT FACILITY & SCHOOL REFERENCES



IZMIR HILLTOWN SHOPPING MALL
Izmir



NATA VEGA SUBAYEVLERİ
SHOPPING MALL
Ankara



VEGA İSTANBUL SHOPPING
MALL
Istanbul



KOCTAS STORES
Istanbul



LC WAIKIKI 500 STORES
Istanbul



USKUDAR NEV SHOPPING
MALL
İstanbul



SENEGAL NATIONAL STA-
DIUM
Senegal



CEMAL KAMACI SPORT
COMPLEX
Istanbul



ERYAMAN STADIUM
Ankara



RIVA GOLF CLUB
Istanbul



ALSANCAK STADIUM
Izmir



OZYEGIN UNIVERSITY
Istanbul



ALTINBAS UNIVERSITY
Istanbul



GONDAR UNIVERSITY
Ethiopia



NECMETTİN ERBAKAN
UNIVERSITY
Konya



MEDENİYET UNIVERSITY
LIBRARY & B / C BLOCK
Istanbul



The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.

EAE Technology assumes no responsibility for any errors that may appear in this document.





TECHNOLOGY

HEADQUARTERS :

📍 İkitelli O.S.B., Mh. Eski Turgut Ozal Cd. No:20
Basaksehir Istanbul/Turkey
☎ +90 (212) 671 85 10
✉ eaeteknoloji.satistdestek@eaegroup.com



eaetechnology.com