



INDEX

Touch Panel	8
Topology	12
Products	14
Panel Devices	63
Certificates	64
References	65





EAE KNX Smart Home and Residential Solutions offers the best user experience with a wide range of products and customizable technological and stylish design of the products.

EAE's Smart Home and Residence solutions are remarkable for users and architects with a variety of materials and colors compatible with the interior, as well as providing ease of use.

Products are based on the worldwide KNX standard and enable the system to be expanded with other KNX manufactured products.



EAE group of companies have over 2,500 employees worldwide and EAE products are used in more than 100 countries. EAE Group has over 50 patents, 300 brands and 150 industrial designs.



As EAE Technology, we provide innovative and value-added solutions for KNX applications. All our products are designed, developed, manufactured and tested in our headquarters in Istanbul, Turkey. EAE Technology products are in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.

EAE Technology is a member of KNX Association and an authorized KNX training center since 2012.



TD4-KNX 4" Touch Display

The Pinnacle of Smart Control...

Step into the future of home automation with EAE Technology's KNX Touch Panel, where cutting-edge technology meets elegant design. Crafted with a capacitive touch screen that responds to your lightest touch, the touch panel transforms the ordinary into the extraordinary, placing the power of control at your fingertips.





Capacitive Touch Screen



All In One Control



4 Zone Thermostat Control



Tunable White



Built-in Temperature Sensor



Proximity Sensor



RGB Control



Audio Control



Touch Vibration Feedback



 $\hbox{Humidity and CO$_{\tiny 2}$ Display}$



Air Quality Display




Energy Metering Display



RGB Navigation LED Bar



Configuration by ETS



TD4 Touch Panel Technical Specifications

Bus supply	Bus voltage	21V-30V DC, via the KNX bus	
	Bus current	<4.5mA/24V DC, <4mA/30V DC	
	Bus consumption	<120mW	
Auxiliary supply	Voltage	24-30V DC	
	Current	<86mA/24V DC, <71mA/30V DC	
	Consumption	<2.2W	
Connections	KNX	Bus connection terminal	
	Auxiliary supply	KNX auxiliary connection terminal	
Installation	80mm or 86mm wiring box		
Temperation	Operation	-5 °C + 45 °C	
	Storage	-25 °C + 55 °C	
Proximity Sensor	Standard 15cm, Enhance 30cm		
Dimension	86x101.3x10.5mm (32.2mm)		
Weight	0.2kg		

Product Color Black White



All in one control

Thermostat Control

Switching

Dimming


Curtain Control

Scene

Value Sending

Switching Indication







EAE

- 1 Touch and display area
- 2 Proximity sensor
- 3 Colorful Strip LED bar
- 4 Auxiliary supply connection terminal
- 5 SD Card slot
- 6 KNX Bus connection terminal
- 7 Built-in temperature sensor



Capacivitive touch screen

Effortless control at your fingertips. Responsive, intuitive and designed for modern living.

Internal temperature sensor

Your comfort is ensured with the built-in temperature sensor.



4 Zone thermostat control

Keep your living environment in perfect harmony by creating different climates in every corner with 4-Zone Thermostat Control.

Proximity sensor

When you approach, the proximity sensor gently wakes the panel and makes it ready for use.



RGB control

Feel how the environment changes with Lighting RGB Control-whether RGB, RGBW, or RGBCW, you have complete control over color and temperature.



Adjustable white light control

It perfects your living environment, switching from warm light to cold light and vice versa.

Touch vibration back notice

Enjoy tactile elegance... A subtle reminder that you're in control.



Energy measurement monitoring screen

It helps you live a smart and sustainable life...

Air quality, humidity and CO2 level monitoring screen

Displays humidity and CO2 levels to keep your air clean and fresh.





With ETS configuration

You do not need to use an external panel configurator.








Miola Touch Panel Technical Specifications

SCREEN SIZE	7" MIOLA KNX-TP	10.1" MIOLA KNX-TP
CPU	PX30 Chipset	PX30 Chipset
Memory	1GB	1GB
Hard Disk	8GB EMMC	8GB EMMC
Operating System	Android 8.0	Android 8.0
Power	12-30 VDC	12-30 VDC
Resolution	600x1024px	1280x800px
Touch Panel	Project Capacitive Touch	Project Capacitive Touch
Microphone	1 with Echo Cancellation	1 with Echo Cancellation
Speaker	1x8 Ohm - 2 Watts	1x8 Ohm - 2 Watts
Input	5 Digital Inputs	5 Digital Inputs
KNX Bus Connection	KNX - TP	KNX - TP
LAN	2	2
Dual Network Connectivy	Yes	Yes
Drivers	EAEOS Operating System Drivers	EAEOS Operating System Drivers
Max Accessory Limit	254	254
Max Room Limit		254
Intercom Standart	SIP 2.0	SIP 2.0
Onwall Dimensions	140 x 235 x 4 mm	264 x 208 x 4 mm

^{*} Isolated high voltage and current protection









Cloud Server



Intercom



Mobile Integration



CIOFCUD P COID Heating-Cooling



Lighting-Shutter/Blind



Schedule, Scenes

Cloud Server

Thanks to peer to peer connection, SIP calls are made directly between devices without the need for a SIP



Mobile Integration


Manage lighting, climate, blinds, alarms, intercom, with your mobile devices. You can do anything you do with touch panel with using your smartphone.



Intercom

You can use your Miola touch panel to communicate with outdoor intercom units and open apartment doors.







KNX Thermostat | Switch | Socket











Thermostats

Thermostat and switching control from one point with Rosa Thermostats.



Switches

Lighting, shutter/blind, scene call, speaker and DND/MUR control with customizable Rosa keypads.



Sockets

Various color options in UK, EU and universal standards.







Thermostats

Elegant and Minimalist Design

Rosa thermostats are designed for the needs of modern buildings. Rosa's intuitive design allows all ages to control their living space easily. New generation frameless design fits arqhitects' expectation and getting their compliments.



Touch operated



Brushed metal surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Short Press



Double Press



Icon options



Navigation LEDS



Feedback LEDS



Away, comfort, night and protection modes



Independent programmable buttons



Various color option



Tripple Press



Long Press



Rosa 1 Fold Metal Bronze Thermostat

1 Fold - Natural

2 Fold - Gold 3 Fold -Anthracite


4 Fold - Bronze













Elegant and Minimalist Design

The Rosa Crystal switch and thermostat series, which has the same features as the metal ones in technical terms, can also be adapted to different concept designs with glass surface option. Rosa Crystal can be colored according to the selected RAL code, adapts to the demands of the interior designers and fast changing trand.



Touch operated



4mm tempered glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic



heating-cooling transition



Short Press



Double Press



Icon options



Navigation LEDs



Feedback LEDs



Comfort, night, protection and away modes



Independent, programmable buttons



Various color option



Tripple Press



Long Press





1 Fold - Black

1 Fold - White

3 Fold -Black


4 Fold - White













Elegant and Minimalist Design

Rosa Pictus metal thermostats, which technically have the same features as the Rosa Crystal series; It can be adapted to different concept designs with its brushless, painted surface option. 5 different color options offer users and interior designers a wide range of complementary products.



Touch operated



4mm tempered glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Short Press



Long Press



Double Press



Tripple Press



Icon options



Navigation LEDs



Feedback LEDs



Comfort, night, protection and away modes



Independent, programmable buttons



Various color option



1 Fold Pictus Bronz Termostat

1 Fold - Bronz 1 Fold - Dark Gray 1 Fold - White 3 Fold - Black 4 Fold - Light Gray
















Switches

Elegant and Minimalist Design

Rosa metal switches with 5 different color options add harmony and enrich to different designed homes, offices and hotel rooms. Rosa buttons can be configured independently and gives chance to users to control up tp 6 different objects.



Touch operated



Brushed metal surface



Frameless, minimalist design



Independent, programmable buttons



Temperature and humidity sensor options



Short Press



Double Press



Icon options



Navigation LEDs



Feedback LEDs



Various color option



Tripple Press




Long Press



Rosa 2 Fold Metal Natural Switch

1 Fold - Anthracite 3 Fold - Bronze 4 Fold - Natural 5 Fold - Gold • 1 1



Switches Elegant and Minimalist Design

Rosa Crystal touch switches which has the same features as the metal ones adorn hotel rooms, homes and commercial buildings with its unlimited color options and 4mm tempered glass surface. Users are just defining the RAL code for coloring up the device.



Touch operated



4mm tempered glass surface



Frameless, minimalist design



Independent, programmable buttons



Temperature and humidity sensor options



Short Press



Double Press



Icon options



Navigation LEDs



Feedback LEDs



Various color option




Tripple Press



Long Press









Elegant and Minimalist Design

Rosa Pictus metal keys perfectly match the expectations of interior designers with their 5 different color options and brushless metal surface. Optional temperature sensors on Rosa Switches can measure room temperature from different places.



Touch operated



Icon options



Brushed metal surface



Navigation LEDs



Frameless, minimalist design



Feedback LEDs



Independent, programmable buttons



Various color option



Short Press



Temperature and humidity sensor options



Long Press



Double Press



Tripple Press



Roso

2 Fold Pictus Koyu Gri Anahtar







Touch operated design...

Presicion detection for glass and metal surfaces.







Internal temperature sensor...

Anahtarlarda dahili sıcaklık sensörü opsiyoneldir.





Independet programble buttons ...

Each folds can be programmed as independent buttons.






All in one...

Rosa offer switching and thermostat function controls from one point.

- Lighting
- **HVAC Control**
- Shading
- DND / MUR
- Scene Call









Brushed metal surfaces...

Rosa brushed metal thermostats contain 4 different color alternatives as natural (silver), gold, bronze and anthracite





Unlimited color options...

All RAL codes can be applied







High quality raw materials...

7000 series aluminum is used for Rosa switch and thermostat.









Additional Heating and Cooling...

Rosa series has a built-in temperature sensor.


Rosa Thermostat has an automatic heating / cooling switching function. Additional heating / cooling units can be added to the system.



tempered glass...

Conductive material coated glass surfaces are used for the Rosa Glass series.







Status LEDs...

You can control the status of lights, curtains/blinds and air conditioners in your living spaces with the status of LEDs.







Navigation LEDs...

Thanks to the navigation LEDs on Rosa, reach your thermostat and switch easily and safely in dark environments.



Customizable symbol options...

Rosa offers customized icon options with glass and brushed metal surface types.





Elegant and Minimalist Design

Rosa metal, crystal framed sockets are designed for 4 different standards.

- √ Universal Standard
- √ Modular Standard
- √ British Standard



Universal Standard


2M Socket - Natural



2M Socket - Bronze

3M Socket + Blanking Module -







4M Socket - Gold



6M Socket - Anthracite





Modular Standard

1M Data and Blanking Module - Natural



2M USB + Data - Bronze



3M Shaver Socket-Natural



	а	h
1M	85	85
2M	85	85
3M	124	85
4M	144	85
6M	190	85



4M Universal Socket + SAT/TV - Gold



6M Socket + Socket + SAT + Blind Cover - Anthracite



Dimensions









European Standard

Single Data - Bronze



Double Socket + Phone - Gold



Triple Socket + TV - Natural



Quadruple Socket + Data + TV - Bronze



Dimensions	а	h	
Single	85	85	h
Double	156	85	
Triple	227	85	
Quadruple	298	85	
Quintet	369	85	

Quintet Socket+DATA+Sat - Anthracite



Single Socket - Black Glass



Double Socket+TV/SAT - White Glass



Triple Socket+SAT+Socket - Black Glass



Quadruple Socket+Socket+TV/SAT - White Glass




	а	h	†
Single	85	85	h
Double	156	85	
Triple	227	85	a
Quadruple	298	85	
Quintet	369	85	

Quintet Socket+DATA+Socket+Sat - Black Glass



|≪rosa

THERMOSTAT and SWITCH ICON OPTIONS



Light On / Off

 $\mathbf{Light}\;\mathbf{Dim}\;\mathbf{Up}\;/\;\mathbf{Dim}\;\mathbf{Down}$

Blind Up / Blind Down



Volume Up / Down

Thermostat

MUR / DND







































































































... other on request



≪rosaTHERMOSTAT and SWITCH **PRODUCT CODE LEGEND**



Note: Icon grawing and front status options can not be applied at the same time on the same product.




|≪rosa

THERMOSTAT TECHNICAL SPECIFICATIONS




- Can be configured with ETS5.
- Serial thermostat with metal and glass touch-button
- Temperature control via digital LCD
- Internal temperature sensor (°C/°F)
- Adjustable fan speed (1, 2, 3, Automatic)
- Multiple operation modes (Comfort, Night, Outdoor, Indoor)
- Fully automated operation feature (hot-cold transition)
- Control of all HVAC units including VRF-VRV and air conditioning devices
- PI relative, PI on-off (PWM), On/Off, Fan coil, Split unit controls
- Easy installation to 60x60 mm standard switch junctions
- 2 dependent or 4 independent programmable buttons can be programmed for various functions.
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

IP 20	EN 60529	
II	EN 61140	
Voltage Range	21-30V DC, Supply from EIB/KNX line	
Supply voltage	<10 mA	
Operating	-5° C + 45° C	
Storage	-25° C + 55° C	
In accordance with EMC guideline and low voltage regulation		
	II Voltage Range Supply voltage Operating Storage	




Dimensions (mm)	а	b	h
1 Fold Thermostat	85	11	85
2 Fold Thermostat	85	11	85
3 Fold Thermostat	85	11	114,60
4 Fold Thermostat	85	11	143,60

Assembly Detail



Important note!

The optimum distance between the two thermostats should be at least 120 mm from center to center.




|**≪**rosa

SWITCHES TECHNICAL SPECIFICATIONS




- Optional temperature and humidity sensor.
- Can be configured with ETS5.
- Serial switches with metal and glass touch-button
- Large collection option up to 5 Folds
- Product options with and without notification LED
- Optionally, icon branding is available.
- Different color options
- Easy installation to 60x60 mm standard switch junctions
- · Channels are identical, each with the following functions;
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

Protection type	IP 20	EN 60529	
Safety class	II	EN 61140	
Power Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line	
	Supply voltage	<10 mA	
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	In accordance with EMC guideline and low voltage regulation		




Dimensions (mm)	а	b	h
Single Switch	85	11	85
1 Fold Switch	85	11	85
2 Fold Switch	85	11	85
3 Fold Switch	85	11	85
4 Fold Switch	85	11	114
5 Fold Switch	85	11	143


Assembly Detail




Important note!

The optimum distance between the two switches should be at least 120 mm from center to center.

















Thermostat

All devices in your home are under your control with Oria thermostats.





Switch


Control lights and blinds with a single press with Oria switches.

Receive temperature and humidity information via the switch, thanks to the optional temperature and humidity sensor



Socket

Socket group with eye catching design for perfect harmony.




A simple touch, unlimited comfort Thermostots

Expandable up to 4 folds, Oria thermostat provide a wide collection of possibilities for all spaces where both thermostats and programmable switches are needed at the same time.

Oria thermostats can perform all needed operations with a single touch. Programmable buttons on Oria thermostats can control comfort and energy saving needs such as lighting, shutter/blind, scene

call, speakers and panic button for you.







2 Fold Pearl White



2 Fold Mustang Gray




3 Fold Pearl White



4 Fold Antique Gray







A simple touch, unlimited comfort

Switches

The new generation Oria switches respond to unlimited needs with their design and provide a simple and elegant touch to people's abilities. A rich collection option that can be expanded up to 12 buttons with a single combination, and the ability to manage lighting, heating-cooling, curtain-blinds, speaker, stage call and panic button controls from a single point.







A simple touch, aesthetic integrity

Sockets



TV/SAT Single Frame Antique



Data+Socket **Double Frame Pearl White**



Socket+TV/SAT **Tripple** Frame Anthracite



DATA+Socket+TV/SAT **Quadruple** Frame Pearl White



TV/SAT+Socket+Data+UPS **Quintet** Frame Mustang Gray



Socket + Socket + SAT + TV **6M** Frame Antique



Socket + SAT + TV **4M** Frame Anthracite



Socket + TV **3M** Frame Pearl White



SAT + TV **2M** Frame Mustang Gray




1M Frame Pearl White




56 | www.eaetechnology.cor

Oria THERMOSTAT and SWITTCH ICON OPTIONS



○oria THERMOSTAT and SWITTCH ICON OPTIONS



Sample Order Code


INT-OT2-0101F0



Note: Icon and status options cannot be selected together on the same product.

Sample Order Code

INT-OS2-0300F0







THERMOSTAT


TECHNICAL SPECIFICATIONS




- · Can be configured with ETS5.
- Serial thermostat with plastic push-button
- Temperature control via digital LCD
- Internal temperature sensor (°C/°F)
- · Adjustable fan speed (1, 2, 3, Automatic)
- Multiple operation modes (Comfort, Night, Outdoor, Indoor)
- Fully automated operation feature (hot-cold transition)
- Control of all HVAC units including VRF-VRV and air conditioning devices
- PI relative, PI on-off (PWM), On/Off, Fan coil, Split unit controls
- Easy installation to 60x60 mm standard switch junctions
- 2 dependent or 4 independent programmable buttons can be programmed for various functions.
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

IP 20	EN 60529		
II	EN 61140		
Voltage Range	21-30V DC, feeding from EIB/KNX line		
Supply Voltage	<10 mA		
Programming LED for each fold	1 to 5 RGB LEDs for physical address identification		
100.000			
Operating	-5° C + 45° C		
Storage	-25° C + 55° C		
Compliant with EMC directives and low voltage requirements			
Flush-mounted and surface-mounted cases with 60 mm between two mounting screws,			
in compliance with European standards			
	II Voltage Range Supply Voltage Programming LED for each fold 100.000 Operating Storage Compliant with EMC directives and lov Flush-mounted and surface-mounted		








4 Fold


Assembly Detail



Important Note!

The optimum distance between the two thermostats should be at least -120 mm- from center to center.

Dimensions (mm)	а	b	h
2 Fold Thermostat	90	9	90
3 Fold Thermostat	90	9	111,5
4 Fold Thermostat	90	9	133




SWITCHT

TECHNICAL SPECIFICATIONS




- Internal temperature and humidity sensor option
- Configurable with ETS5
- · Plastic push-button serial switches
- Wide collection options up to 6 Folds
- Product option with and without notification LED
- · Optionally, icon branding can be done.
- Temperature and humidity sensor options
- Different color options
- Easy installation on 60x60 mm standard switch junction boxes
- The channels are identical and each has the following functions;
 - Switching,
 - Dimming,
 - Curtain control,
 - Sending value and priority,
 - Stage Control,
 - Status notification LED

Protection Type	IP 20	EN 60529	
Safety Class	II	EN 61140	
Power Supply	Voltage Range	21-30V DC, feeding from EIB/KNX line	
	Supply Voltage	<10 mA	
Working LEDs	Programming LED for each fold	1 to 5 RGB LEDs for physical address identification	
Button Operation Life	100.000		
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	Compliant with EMC directives and low voltage requirements		
Case Type to be Used	Flush-mounted and surface-mounted cases with 60 mm between two mounting screws,		
	in compliance with European standards		




Dimensions (mm)	а	b	h
Single Switch	90	9	90
1 Fold Switch	90	9	90
2 Fold Switch	90	9	90
3 Fold Switch	90	9	90
4 Fold Switch	90	9	90
5 Fold Switch	90	9	111,5
6 Fold Switch	90	9	133

Assembly Detail



Important note!

The optimum distance between the two thermostats should be at least -120 mm- from center to center.





Product Family

The Mona Series consists of a user-friendly, elegant frameless glass design and intuitive operation, with capacitive buttons trough minimalist icons.

With its touch operated design and minimalist icons, it is suitable to be a part of your living space with its various color options.



Optional built-in PIR Sensor



Optional FCU control



Touch operated



Glass surface



Switch and Card Holder



Frameless, minimalist design



RGB LED option



Icon option



Away, comfort, night and protection modes



Independent programmable buttons



Various color option

Switch



Thermostat



Long Press



Short Press



Double Press



Tripple Press


Switch & Thermostat





Variations

Switch





Sockets

The Mona serie offers glass surface, minimalist design, wide collection up to 5 gang, wide range of colors, wide range socket standart options like BS, European and Modular.





Technical Specifications





KNX Thermostat (Up to 6 buttons)


- · Optional FCU control
- · Optional PIR sensor
- Temperature adjustment via screen
- Integrated temperature sensor (°C/°F)
- Fan speed setting (1, 2, 3, Auto)
- Different operating modes (Comfort, Night, Out of Home, Protection)
- Fully automatic function mode (Hot Cold transition)
- Control flexibility for all HVAC units including VRF-VRV and AC
- PI proportional, PI PWM, Hysteresis, Fan coil, Split unit controls

KNX Switch (Up to 12 buttons)

Optional PIR sensor

Independent configuration for each button

- Switching
- Dimming
- · Shutter Control
- · Value Transmission
- · Scenario Control



RCU FAMILY

EAE KNX - ROOM CONTOL UNITS



KMG103

EAE KNX - KNX Modbus Gateway



KMG103 - AAZS

EAE KNX - KNX Modbus Gateway with Doorlock integration



UD106

EAE KNX - UNIVERSAL DIMMER



SD110

EAE KNX - 1-10V DIM ACTUATOR



FCA100

EAE KNX - FANCOIL ACTUATOR



SW108 / SW104

EAE KNX - RELAY MODULE



PSU320 / PSU640

EAE KNX - POWER SUPPLY 320mA/640mA



MIO1616

EAE KNX - MULTI INPUT OUTPUT



DA100 / DA110

EAE KNX - DALI GATEWAY



UI108

EAE KNX - UNIVERSAL INTERFACE



ACGME100

MITSUBISHI AC GATEWAY



ACGDAI100

DAIKIN AC GATEWAY



IPR200 / IPI200 / IPR200S / IPI200S

EAE KNX - IP ROUTER - IP ROUTER SECURE

IP INTERFACE - IP INTERFACE SECURE



LC200 / LC200S

EAE KNX - LINE COUPLER -LINE COUPLER SECURE















HOTEL GRMS DEMO CASE



MONA DEMO CASE



ROSA DEMO CASE



ROSA DEMO CASE



Certificates

EAE Technology products are and will always be in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.



KNX is the worldwide standard for home and building control. KNX offers at the same time the reliability of a consolidated system, market leader for over twenty years. (470 KNX Members, 8000 Products, 470 KNX Training Centers, 83000 KNX Partners, 190 Countries)



DALI (Digital Addressable Lighting Interface) is a protocol for digital lighting control that enables the easy installation of robust, scalable and flexible lighting networks.



EU rules restricting the use of hazardous substances in electrical and electronic equipment to protect the environment and public health.



This standard is based on a number of quality management principles including a strong customer focus, the motivation and implication of top management, the process approach and continual improvement. These principles are explained in more detail in ISO's quality management principles.



The EAC certifications are issued by independent EAC certification bodies and their laboratories accredited by the relevant agencies of the five members of the EAC Economic Union: Russia, Belarus, Kazakhstan, Armenia and Kyrgyzstan.







SOME OF OUR REFERENCES

RESIDENTAL **REFERENCES**



CLOUD NINE Russia





MESA ORMAN II Istanbul



mesa ÇENGELKÖY

MESA CENGELKOY Istanbul



COUNTRY

COUNTRY SUIT Gaziantep





SPC BUILD Sapanca



PANORAMA

PARK PANORAMA Izmir





COS ALACATI Izmir



ALİ KEMAL GÜRDAL

ALI KEMAL GURDAL Antalya





PUKKA BODRUM Mugla





NISH MERAM Konya





PERA MOGAN Ankara





MERYAKA RESIDENCE Konya



FLORYA MAX ROYAL Adana





NOA TERRACE RESIDANCE Izmir



NAMET BEYLERBEYI Istanbul



KECIOREN APARTMENTS Ankara

RESIDENTAL **REFERENCES**



FOLKART **VEG**

FOLKART VEGA İzmir







Izmir





BODRUM NEF GOLKOY Bodrum



ALTOWER

ALTOWER Istanbul





MESA CUBUKLU 28 Istanbul



VADIKORU RESIDENCE Istanbul









CENTRAL BALAT RESIDENCE Bursa



BONNEVILLE MIHRAPLI Bursa





BRODSKY APARTMENT Russia





CADDE MASLAK Konya





Istanbul



COUNTRY SUIT Gaziantep



MOTTO TERRACE GARDEN Konya



SAKLIBAHÇE SAKLIBAHCE CAMLICA Istanbul



HESSAH AL MUBARAK Kuwait

RESIDENTAL **REFERENCES**



MANDARIN VILLAS Çanakkale



Mona

MONA 94 Istanbul



ALPER INŞAAT

ARYA DELUXE Gaziantep



FARAZGRUP

NISH GUMUSLUK Bodrum



ROSARANDA

RISING ROSARANDA **CESME** Izmir



MARITZA RESIDANCE Istanbul



naturapark meram

NATURA PARK MERAM Konya



ALİ KEMAL GÜRDAL

A GARDENYA RESIDENCE Antalya





FAIRMONT RESIDANCE Russia





ARTAS ATA RESIDENCES Istanbul



mesken

MESA CINARKOY Istanbul



mesken

MESA URLA Istanbul





MESA BODRUM Bodrum





DORUK BEYTEPE Ankara



ARMANI / CASA MOSCOW RESIDENCES

ARMANI RESIDENCE Russia



FJ TOWER Qatar

HOTEL REFERENCES







Marriott AUTOGRAPH COLLECTION **AUTOGRAPH COLLECTION MARRIOTT** Istanbul



Marriott

MARRIOTT SIRKECI HOTEL İstanbul



MG PHASELIS/BAY

NG PHASELIS BAY HOTEL Antalya



lul MILLENNIUM MILLENIUM WEST HOTEL Istanbul



THE OBA HOTEL Bodrum





RADISSON HOTEL Izmir





RADISSON BLUE HOTEL India





MABIN HURA MALDIVES Maldives





RIXOS PREMIUM DUBAİ UAE



GRAND HOTEL Niger



TFF Türkiye Futbol Federasyonu Turkish Football Federation TFF RIVA HOTEL

Istanbul



NAU HOTEL Portugal



GRAI. GRAND GALATA

GRAND GALATA HOTEL Istanbul



KARDVAN KARAVANSARAY COMPLEX GURDAL HOTEL Kazakhistan



Istanbul

HOTEL REFERENCES



KEMPINSKI DOME BELEK Antalya



BARUT AKRA SORGUN Antalya



DEDEMAN HOTELS & RESORTS

DEDEMAN HOTEL Eskisehir





RIXOS TEKIROVA Antalya



Sheraton SHERATON HOTEL BATUM

Batum





DOLCE BY WYNDHAM Ankara



(**CROWNE PLAZA**° HOTELS & RESORTS

CROWNE PLAZA ORYAPARK Istanbul



Melden

MELDEN HOTEL Mugla





WASHINGTON HOTEL Antalya





HAMPTON BY HILTON SIRKECI Istanbul



Rocks

ROCKS HOTEL Cyprus





ALMINA HOTEL Bursa



INEMĂRE İĞNEADA

INEMARE HOTEL Kırklareli



SHUSHA HOTEL Azerbaijan





DEMONTI HOTEL Ankara





TIERRA MAR HOTEL Antalya

HOTEL REFERENCES



RIXOS PREMIUM BODRUM Mugla



DOUBLETREE HILTON SIRKECI HOTEL

Istanbul



FASQ HOTEL

Mauritania





CIELO HOTEL Qatar





BENIN SOFITEL HOTEL Benin



MÖVENPICK HOTEL & APARTMENTS BUR DUBAI MÖVENPICK HOTEL

UAE



STREGIS ST REGIS HOTEL

Oman



Retana



UAE





Lviv

EMILY





OYAK DRAGOS Istanbul



CONDOR HOTEL **CONDOR HOTEL** Romania





Senegal





PEARL MARRAKECH HOTEL PESTANA HOTEL Marrakech



PESTANA Casablanca





CROWNE PLAZA Tachikistan





KATE HOTEL SPECIAL CLASS Istanbul



AIRPORT REFERENCES



Istanbul Airport THY ISTANBUL AIRPORT Istanbul



Istanbul Airport



Istanbul Airport ISTANBUL AIRPORT

OPERATIONS CENTER

Istanbul



Istanbul Airport

ISTANBUL AIRPORT

MOSQUE

Istanbul



AIRLINES TURKISH TECHNIC

Istanbul



THY SIMULATION BUILDING Istanbul



TURKISH (

AIRLINES ISTANBUL AIRPORT SOLID

WASTE CENTER

Istanbul







SABIHA GOKCEN AIRPORT Istanbul





RIZE/ARTVIN AIRPORT Rize





Rize















ANTALYA AIRPORT CARGO Antalya





ANTALYA AIRPORT CARPARK Antalya









7th MAIN JET BASE COMMAND Malatya

HOSPITAL **REFERENCES**





LUTFI KIRDAR TRAINING AND RESEARCH HOSPITAL

Istanbul

Kutahya





SANLIURFA CEYLANPINAR **PUBLIC HOSPITAL** Sanliurfa





UŞAK PUBLIC HOSPITAL





SIVAS CUMHURIYET UNIVERSITY HOSPITAL Sivas





KUTAHYA CITY HOSPITAL

Istanbul







MALATYA MATERNITY HOSPITAL Malatya



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH **GAZIANTEP MATERNITY** HOSPITAL

Ankara



KIRKLARELI LULEBURGAZ PUBLIC HOSPITAL

Kırklareli



REPUBLIC OF TÜRKÎYE MINISTRY OF HEALTH BARTIN PUBLIC HOSPITAL Bartin



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH

OSMANIYE PUBLIC HOSPITAL Osmaniye





MALATYA BATTALGAZI PUBLIC HOSPITAL Malatya



ZONGULDAK TOKI PUBLIC HOSPITAL Zonguldak



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH AKSARAY PUBLIC **HOSPITAL** Aksaray



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH ORDU CITY HOSPITAL Ordu





HOSPITAL REFERENCES





MALATYA ONCOLOGY HOSPITAL Malatya





ANKARA GOLBASI PUBLIC

HOSPITAL

Sanliurfa

BUNYAN PUBLIC HOSPITAL Kayseri



GIRESUN KALE PUBLIC

HOSPITAL



K.MARAS PAZARCIK PUBLIC HOSPITAL Kahramanmaraş



KILIS MERKEZ PUBLIC **HOSPITAL** Kilis



MERSIN TARSUS PUBLIC HOSPITAL

Mersin



HATAY DORTYOL PUBLIC HOSPITAL Hatay



REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH TEKIRDAG CITY HOSPITAL Tekirdağ



AGRI PUBLIC HOSPITAL Ağrı



ERZURUM CITY HOSPITAL Erzurum





Nigde



ACIBADEM

ACIBADEM HOSPITAL Adana



ACIBADEM





ACIBADEM





REPUBLIC OF TÜRKİYE MINISTRY OF HEALTH SAMSUN CITY HOSPITAL Samsun

GOVERMENT REFERENCES





SIVAS GOVERNORSHIP Sivas













USKUDAR MUNICIPALITY



TURKISH FOOTBALL TURKISH PUBLIC RAILWAYS Ankara

Ankara



SUPREME ELECTION BOARD Ankara

Tapu ve Kadastro

SINCAN LAND REGISTRY

Ankara

AND CADASTRE BUILDING





HAVELSAN

Ankara

FEDERATION

Istanbul











BURSA REGIONAL COURT OF JUSTICE Bursa



HAVELSAN **ETIMADEN**





DULKADIROGLU MUNICIPALITY Kahramanmaraş



DUDULLU BOSTANCI TUNNELS Istanbul





TURKIYE REPUBLIC DIRECTORATE OF COMMUNICATIONS





AKSARAY MUNICIPALITY Aksaray





BORSA ISTANBUL DATA CENTER Istanbul









BAKIRKOY GOVERNMENT BUILDING Istanbul

GOVERMENT **REFERENCES**



AFAD AFAD BUILDING

Ankara











DISASTER and EMERGENCY DISASTER and EMERGENCY **MANAGEMENT CENTER**

DISASTER and EMERGENCY MANAGEMENT CENTER

MANAGEMENT CENTER Erzincan





Kahramanmaras

DISASTER and EMERGENCY MANAGEMENT CENTER Kastamonu











PRESIDENCY AHLAT COMPLEX Bitlis

ALANYA COURTHOUSE

TÜRKİYE CUMHURİYET MERKEZ BANKASI

BURSA REGIONAL COURT OF JUSTICE Bursa

Antalya

ANTALYA CENTRAL BANK Antalya

ERDEMLI COURTHOUSE Mersin















ÇANAKKALE BELEDİYESİ



Adiyaman

GÜNGÖREN **GUNGOREN MUNICIPALITY** BUILDING







Istanbul

SHOPPING MALL **REFERENCES**





NATA VEGA SUBAYEVLERI Ankara















LC WAIKIKI STORE

Istanbul



KOCTAS Istanbul SHOPPING MALL



Izmir

©nevçarşı

USKUDAR NEV SHOPPING MALL İstanbul

SPORT FACILITY REFERENCES





SENEGAL NATIONAL **STADIUM** Senegal





KARABUK SPORT CENTER Karabuk





ANTALYA CLOSED SPORT **ARENA** Antalya





RIVA GOLF CLUB Istanbul





CEMAL KAMACI SPORT COMPLEX Istanbul

SCHOOL REFERENCES





ALTINBAS UNIVERSITY Istanbul

















Istanbul

İstanbul



Eskisehir

USKUDAR UNIVERSITY FACULTY OF DENTISTRY Istanbul



OZYEGIN UNIVERSITY

Istanbul

NECMETTIN ERBAKAN UNIVERSITY Konya













MARMARA UNIVERSITY



Kayseri





Ankara

GEBZE UNIVERSITY **EDUCATION LABORATORY** Istanbul



NESIBE AYDIN OKULLARI Ankara

LAND FORCES LANGUAGE SCHOOL













NUN SCHOOLS GONDAR UNIVERSITY İstanbul Ethiopia





MEDENIYET UNIVERSITY LIBRARY & B BLOCK Istanbul



MEV BORNOVA COLLEGE



ORD.PROF.DR. SULHİ DONMEZER EDUCATION CENTER

Istanbul

FACTORY REFERENCES





YATAS FACTORY Ankara









REPKON GROUP



FUNF

Ankara

TürkTraktör TURK TRACTOR **UNF MACHINE**

Sakarya

SIŞECAM

SISECAM FACTORY

Sinop

REPKON FACTORY Istanbul

process plise

PROCESS ALIMINIUM

Konya





modern







MODERN PACKING

ROKETSAN

Ankara

roketsan

Mercedes-Benz MERCEDES BENZ TURKEY **FACTORY** Aksaray



FORD OTOSAN FACTORY Kocaeli

FORD OTOSAN

NUKON TEKNOSAB FACTORY Bursa













PHILIP MORRIS PHILIP MORRIS FACTORY



KORDSA FACTORY Kocaeli



UNIPRESS UK





OFFICE REFERENCES





YDA MARMARA TOWER Istanbul



TORUNLAR

TORUNLAR GYO

İstanbul



teknopark istanbul

YEDITEPE TECHNOPARK Istanbul



TV100 GENERAL CENTER Istanbul





TUPRAS BUILDING Istanbul



TORUN

TORUN CENTER OFFICE Istanbul





SABANCI BUSINESS **TOWERS**

Istanbul



McKinsey & Company

MC KINSEY TOWER Baku





HUAWEI GENERAL CENTER Istanbul





MARMARA ANATOLIUM **TOWER** Istanbul





OMSK CARBON OFFICE Russia





IS GYO ANKARA TOWER Ankara









FORD OTOSAN FACTORY Kocaeli









MELAL TOWER Iraq

OFFICE **REFERENCES**





ISTANBUL FINANCIAL **CENTER BDDK BUILDING**















ISTANBUL FINANCIAL CENTER HALK BANK GYO Istanbul



ISTANBUL FINANCIAL **CENTER 1-13 RECREATION** Istanbul



ISTANBUL FINANCIAL CENTER SPECIAL PROJECT AREA Istanbul



ISTANBUL FINANCIAL CENTER SIGORTA A.S. Istanbul



BORSA ISTANBUL Istanbul













KHOSHNAW TOWER

Iraq







NOKIA

NOKIA OFFICE Istanbul











CENTER

Istanbul

Istanbul

BORSA ISTANBUL **BORSA ISTANBUL DATA**









Izmir



BALANCE GUNESLI Istanbul



LOTUS OFFICE Bursa

LOGISTICS CENTER & PORT

REFERENCES





Qatar













YALOVA RO-RO PORT

Yalova

SAFIPORT



OYAKPORT YARIMCA

PTT INTERNATIONAL CARGO PROCESSING CENTER

Ptt

EKOL LOGISTIC

Kocaeli













VitrA°



File



MIGROS WAREHOUSE Ankara

VITRA WAREHOUSE Bilecik

BIM WAREHOUSE Istanbul

FILE WAREHOUSE Istanbul

ABDI IBRAHIM Istanbul













MEDLOG LOGISTIC

AYDINLI

FY LOGISTIC Istanbul



DOĞA GROUP

DOGA LOGISTIC



Izmir





The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.

EAE Technology assumes no responsibility for any errors that may appear in this document.

> 2024 © EAE Technology All rights reserved



EAE Teknoloji A.Ş.

Ikitelli Organize Sanayi Bölgesi Eski Turgut Ozal Caddesi No:20 Başaksehir / Istanbul - TURKEY Tel.: +90 212 413 21 00 (pbx) Fax: +90 212 549 37 90

www.eaetechnology.com







The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.

EAE Technology does not accept any responsibility for out-of-date information

that may appear in this document, due to the catalog version number

2024 © EAE Technology - All rights reserved SHRS - 202406 - 5003668 - V1.0