

General Description



The EAE DND MUR information display, where you can easily see whether your guests are in the room, consists of a 100% glass touch screen and includes room number, hotel logo, DND, Make Up and ring buttons.


Detailed features are written below:

- Information display with built-in touch doorbell button showing room status information
- Suitable for flush mounting
- The doorbell will be silenced, when Do Not Disturb (DND) mode activated.
- Device can be controlled by regular electric switch or its own touchscreen control unit
- Doorbell Output
- Colourful LED Indicators
- The occupancy information is taken from Power Control Unit.
- Working with mains voltage. (no adapter required)

Technical Data

Type of protection	IP 20	EN 60 529
Safety class	II	EN 61 140
Power supply	- Voltage	250 V AC; 50/60 Hz
	- Current consumption	≤ 10 mA
External supply	-	-
Connections	- Screw terminals	0,5...3,31 mm ² solid and stranded wire 0,5...3,31 mm ² stranded wire with ferrule
	- Max tightening torque	0.5 Nm
Output	- Number	Single output for Doorbell
	- Switching voltage	250 V AC; 50/60 Hz
	- Switching current 250 V AC	3A / AC
	- Mechanical life	> 1 x 10 ⁶
Input	- Number	3 AC Input
	- Scanning voltage	250 V AC
	- Current	1 mA
Installation	- Flush Mounted	
Operating elements	- LED and Touch Button	For visualization control
Temperature range	- Ambient	0 °C + 50 °C
Humidity	- max. air humidity	80 % no moisture condensation
Dimensions		240 x 140
Weight	0.60 kg	
Box	Plastic, glass, colour customizable	
CE	In accordance with the EMC guideline	

Connection Example



Scale Drawings

